

S U B J E C T A R E A S

ADVERSE DRUG REACTIONS AND INTERACTIONS
AGING
ANEMIA
ANGINA
ANXIETY
ARRHYTHMIAS
ASTHMA
BENIGN PROSTATIC HYPERTROPHY
CEREBROVASCULAR DISEASES
CHRONIC OBSTRUCTIVE PULMONARY DISEASE
CHRONIC RENAL FAILURE, END-STAGE RENAL DISEASE
COMMUNICATION
COMPLIANCE
CONSTIPATION
DELIRIUM
DEMENTIA
DEPRESSION
DERMATOLOGY
DIABETES
DRUG THERAPY
ETHICAL ISSUES
FALLS
FIBROMYALGIA
GASTROESOPHAGEAL REFLUX DISEASE
GASTROINTESTINAL DISORDERS
GLAUCOMA
GOUT
HEART FAILURE
HYPERTENSION
HYPOTENSION
INCONTINENCE
INSOMNIA
LABORATORY VALUES, INTERPRETING
LONG-TERM CARE PHARMACY
MENOPAUSE
NUTRITION/HYDRATION
OSTEOARTHRITIS
OSTEOPOROSIS AND OSTEOMALACIA
PAGET'S DISEASE
PAIN MANAGEMENT
PARKINSON'S DISEASE
PEPTIC ULCER DISEASE
PHARMACOKINETICS/PHARMACODYNAMICS
PNEUMONIA
PRESSURE ULCERS
RHEUMATOID ARTHRITIS
SEIZURES
SUBSTANCE ABUSE
SYSTEMIC LUPUS ERYTHEMATOSUS
THROMBOEMBOLIC DISORDERS
THYROID DISEASE
TUBERCULOSIS
URINARY TRACT INFECTIONS

Literature Citations

Anon. Drugs that cause psychiatric symptoms. *Med Lett* 1993; 35: 65-69.

Atkin PA, Shenfield GM. Medication-related adverse reactions and the elderly: a literature review. *Adverse Drug React Toxicolog Rev* 1995; 14(3): 175-91.

Bailey RB, Jones SR. Chronic salicylate intoxication: a common cause of morbidity in the elderly. *J Am Geriatr Soc* 1989; 37: 556-561.

Beard K. Adverse reactions as a cause of hospital admission in the aged. *Drugs Aging* 1992; 2(4): 356-67. **

Beers MH, Ouslander JG. Risk factors in geriatric prescribing: a practical guide to avoiding problems. *Drugs* 1989; 37: 105-12.

Beers MH et al. Inappropriate medication prescribing in skilled-nursing facilities. *Ann Intern Med* 1992; 117: 684-689. **

Beers MH et al. Explicit criteria for determining inappropriate medication use in nursing home residents. *Arch Intern Med* 1991; 151(9): 1825-32.

Bero LA, Lipton HL, Bird JA. Characterization of geriatric drug-related hospital readmissions. *Med Care* 1991; 29(10): 989-1003.

Brown LA, Catleden CM. Adverse drug reactions - an overview of special considerations in the management of the elderly patient. *Drug Safety* 1990; 5(6): 421-35.

Bullinger M. Psychotropic effects of non-psychotropic drugs. *Adv Drug React Ac Pois Rev* 1987; 3: 141-167.

Cadieux RJ. Drug interactions in the elderly. how multiple drug use increases risk exponentially. *Postgrad Med* 1989; 86(8): 179-86.

Campion EW, Avorn J, Reder VA, Olin NJ. Overmedication of the low-weight elderly. *Arch Intern Med* 1987; 147: 945-947.

Chrischilles EA, Segar ET, Wallace SB. Self-reported adverse drug reactions and related resource use. a study of community-dwelling persons 65 years of age and older. *Ann Intern Med* 1992; 117(8): 634-40.

Colt HG, Shapiro AP. Drug-induced illness as a cause for admission to a community hospital. *J Am Geriatr Soc* 1989; 37(4): 323-6.

Literature Citations

Cooper SL et al. Pharmacy-based adverse drug reaction monitoring program. *Consult Pharm* 1990; 5(10): 659-664. **

Feinberg JL. Drug therapy assessment: recognition of potential side effects. *Consult Pharm* 1991; 6(10): 763-764. **

Feinberg JL. FDA introduces medwatch: a new reporting program for adverse events and product problems. *Consult Pharm* 1993; 8(8): 799-803. **

Feinberg M et al. Enteral nutrition formulas and drug interactions: problems and solutions. *Consult Pharm* 1993; 8(9): 975-983. **

Fincham JE et al. Occurrence and reporting of adverse drug reactions in mississippi nursing homes. *Consult Pharm* 1988; May/June: 267-270. **

Gerety MB, Cornell JE, Plichta DT, Eimer M. Adverse events related to drugs and drug withdrawal in nursing home residents. *J Am Geriatr Soc* 1993; 41: 1326-1332. **

Gurwitz JH, Avorn J. The ambiguous relation between aging and adverse drug reactions. *Ann Intern Med* 1991; 114: 956-965. **

Gurwitz JH, Avorn J. Old age—is it a risk for adverse drug reactions. *Agents & Actions* 1990; 29: 13-25.

Juergens JP et al. Adverse drug event reporting: reaching physicians. *Consult Pharm* 1992; 7(4): 441-443. **

Lamy PP. Adverse drug effects. *Clin Geriatr Med* 1990; 6(2): 293-307.

Larson EB, Kukull WA, Buchner D, Reifler BV. Adverse drug reactions associated with global cognitive impairment in elderly patients. *Ann Intern Med* 1987; 107: 169-73.

Lindley CM, Tully MP, Paramsothy V, Tallis RC. Inappropriate medication is a major cause of adverse drug reactions in elderly patients. *Age & Aging* 1992; 21(4): 294-300.

Mahoney JM et al. Impact of an adverse drug reaction reporting system in a geriatric health care center. *Consult Pharm* 1991; 6(11): 907-914. **

Mahoney JM et al. Relating causation of adverse events to drugs. *Consult Pharm* 1991; 6(11): 952+. **

Literature Citations

Manasse HR Jr. Drug misadventuring as a problem in public policy. *Consult Pharm* 1990; 5(7): 390-392. **

Meade V. Solving medication problems in board and care facilities. *Consult Pharm* 1994; 9(7): 735-744. **

Miller SW et al. Cost savings and reduction of medication-related problems as a result of consultant pharmacy intervention. *Consult Pharm* 1993; 8(11): 1265-1272. **

Monette J, Gurwitz JH, Avorn J. Epidemiology of adverse drug events in the nursing home setting. *Drugs Aging* 1995; 7(3): 203-11. **

Montamat SC, Cusack B. Overcoming problems with polypharmacy and drug misuse in the elderly. *Clin Geriatr Med* 1992; 8(1): 143-58. **

Obenchain LA. Effectiveness of drug-regimen review in eliminating unnecessary drugs. *Consult Pharm* 1991; 6(10): 845-847. **

Pinneke S. Showing the reduction in unnecessary drugs. *Consult Pharm* 1993; 8(3): 306, 305. **
Robinson R. Drug-surveillance method provides information about new-drug side effects. *Consult Pharm* 1990; 5(10): 598+. **

Salzer LB. Adverse drug reaction reporting: improving the quality of drug therapy. *Consult Pharm* 1987; 2(2): 139-146. **

Schneider JK, Mion LC, Frenghly JD. Adverse drug reactions in an elderly outpatient population. *Am J Hosp Pharm* 1992; 49(1): 90-6.

Stewart RB, Hale WE. Acute confusional states in older adults and the role of polypharmacy. *Ann Rev Public Health* 1992; 13: 415-30. **

Szeinbach SL et al. Role of consultant pharmacists in adverse drug reaction monitoring. *Consult Pharm* 1992; 7(9): 948-949. **

Tamai IY, Strome LS, Marshall CE, Mooradian AD. Analysis of drug-drug interactions among nursing home residents. *Am J Hosp Pharm* 1989; 46(8): 1567-9.

Thomas JA. Drug-nutrient interactions. *Nutrition Rev* 1995; 53(10): 271-82. **

Walker J, Wynne H. Review: the frequency and severity of adverse drug reactions in elderly people. *Age & Aging* 1994; 23(3): 255-9.

*Literature Citations***HEALTH CARE**

Applegate WB, Blass JP, Williams TF. Instruments for the functional assessment of older patients. *N Engl J Med* 1990; 322: 1207-1213.

Creditor MC. Hazards of hospitalization of the elderly. *Ann Intern Med* 1993; 118: 219-223. **

Delafuente JC. Perspectives on geriatric pharmacotherapy. *Pharmacotherapy* 1991; 11(3): 222-4.

Douglas KC, Fujimoto D. Asian Pacific elders. implications for health care providers. *Clin Geriatr Med* 1995; 11(1): 69-82. **

Fox FJ, Auestad AE. Geriatric emergency clinical pharmacology. *Emer Med Clin N Am* 1990; 8: 221-39.

Harrington C et al. A national long-term care program for the united states: a caring vision. *Consult Pharm* 1992; 7: 313-322. **

Kramer AM. Health care for elderly persons - myths and realities. *N Engl J Med* 1995; 332: 1027-1029.

Mourey RL. Promoting health and function among older adults. In: Hazzard WR, Bierman EL, Blass JP et al, eds. *Principles of Geriatric Medicine and Gerontology*, 3rd ed. New York: McGraw Hill, 1994, 213-20.

Ouslander JG. Medical care in the nursing home. *Consult Pharm* 1991; 6(6): 489-501. **

Rhymes J. Hospice care in america. *JAMA* 1990; 264: 369-372. **

Rosenthal MJ. Geriatrics: an updated bibliography. *J Am Geriatr Soc* 1989; 37(9): 894-810.

Schneider EL, Guralnik JM. The aging of america: impact on health care costs. *Consult Pharm* 1990; 5: 722-730. **

Somers AR. "Lifecare": a viable option for long-term care for the elderly. *J Am Geriatr Soc* 1993; 41: 188-191. **

Wolf SH et al. The recommendations of the US preventative services task force. *J Am Geriatr Soc* 1990; 38: 817.

Literature Citations

ISSUES

Fries JF. Aging, natural death, and the compression of morbidity. *N Engl J Med* 1980; 303: 130-5.

Gorman KM, Posner JD. Benefits of exercise in old age. *Clin Geriatr Med* 1988; 4(1): 183-92.

Kaye JM. The physician's role with the terminally ill patient. *Clin Geriatr Med* 1988; 4(1): 13-28.

Kitler ME. Clinical trials in the elderly: pivotal points. *Clin Geriatr Med* 1990; 6(2): 235-56.

Peters NL. Snipping the thread of life. *Arch Intern Med* 1989; 149: 2414-2420.

Schommer JC. Long-term care facility resident rights: an elderly population's perspective. *Consult Pharm* 1991; 6(5): 406-410. **

PHARMACY

Bailey RB, Jones SR. Chronic salicylate intoxication: a common cause of morbidity in the elderly. *J Am Geriatr Soc* 1989; 37: 556-561.

Dalen JE, Goldberg RJ. Prophylactic aspirin and the elderly population. *Clin Ger Med* 1992; 8: 119-126.

Druse W. Drug-prescribing patterns in old age: a study of the impact of hospitalization on drug prescriptions and follow-up survey in patients 75 years and older. *Euro J Clin Pharmacol* 1991; 41(5): 441-7.

Fox FJ, Auestad AE. Geriatric emergency clinical pharmacology. *Emer Med Clin N Am* 1990; 8: 221-39.

Gardner ME et al. Pharmacist participation in a health-promotion project for the elderly. *Consult Pharm* 1987; 2(1): 62-65. **

Johnson JC. General concepts of geriatric medicine. *Clin Podiatr Med Surg* 1993; 10(1): 23-33. **

Kahl A, Blandford DH, Krueger K, Zwick DI. Geriatric education centers address medication issues affecting older adults. *Public Health Rep* 1992; 107(1): 37-47.

Kaldy J. Nondrug therapies in nursing home patients. *Consult Pharm* 1992; 7(8): 781-785+. **

Literature Citations

- Katz PR, Beam TR, Brand F, Boyce K. Antibiotic use in the nursing home, physician practice patterns. *Arch Intern Med* 1990; 150(7): 1465-8.
- Kroenke K, Pinholt EM. Reducing polypharmacy in the elderly. *J Am Geriatr Soc* 1990; 38: 31-36. **
- LeSage J. Polypharmacy in geriatric patients. *Nurs Clin North Am* 1991; 26(2): 273-90.
- Loughran S. Medication use in the elderly: a population at risk. *Med Surg Nurs* 1996; 5(2): 121-4.
- Manasse HR Jr. Drug misadventuring as a problem in public policy. *Consult Pharm* 1990; 5(7): 390-392. **
- Meade V. Solving medication problems in board and care facilities. *Consult Pharm* 1994; 9(7): 735-744. **
- Meyer ME, Schuna AA. Assessment of geriatric patients' functional ability to take medication. *Ann Pharmacother* 1989; 23: 171-174. **
- Montamat SC, Cusack B. Overcoming problems with polypharmacy and drug misuse in the elderly. *Clin Geriatr Med* 1992; 8(1): 143-58. **
- Ouslander JG, Schnelle JF. Research in nursing homes: practical aspects. *J Am Geriatr Soc* 1993; 41: 182-187.
- Owens NJ, Shervbourne JF, Silliman RA, Fretwell MD. The senior care study. the optimal use of medications in acutely ill older patients.. *J Am Geriatr Soc* 1990; 38(10): 1082-7.
- Potempa KM, Folta A. Drug use and effects in older adults in the united states. *Inst J Nurs Studies* 1992; 29(1): 17-26.
- Sandberg AM. Use of four classes of psychoactive drugs in long-term care facilities. *Consult Pharm* 1993; 8(12): 1377-1381. **
- Shorr RI, Fought RL, Ray WA. Changes in antipsychotic drug use in nursing homes during implementation of the OBRA-87 regulations. *JAMA* 1994; 271(5): 358-362. **
- Stewart RB et al. A longitudinal evaluation of drug use in an ambulatory elderly population. *J Clin Epidemiol* 1991; 44(12): 1353-9.
- Stewart RB et al. Changing patterns of therapeutic agents in the elderly: a ten-year overview. *Age & Aging* 1991; 20(3): 182-8.

Literature Citations

Svarstad BL, Mount JK. Nursing home resources and tranquilizer use among the institutionalized elderly. *J Am Geriatr Soc* 1991; 39(9): 869-75.

Walker NR et al. Medication-education programs in the psychiatric institution. *Consult Pharm* 1987; 2(1): 56-61. **

Wayne SJ, Rhyne RL, Stratton M. Longitude prescribing patterns in a nursing home population. *J Am Geriatr Soc* 1992; 40(1): 53-6.

Weintraub M. Compliance in the elderly. *Clin Geriatr Med* 1990 ; 6(2): 445-52.

Willcox SM, Himmelstein DU, Woolhandler S. Inappropriate drug prescribing for the community-dwelling elderly. *JAMA* 1994; 272: 292-296. **

Wong BJ et al. Role of the pharmacist on a geriatric assessment team. *Consult Pharm* 1994; 9(10): 1149-1158. **

Yoshikawa TT. Antimicrobial therapy for the elderly patient. *J Am Geriatr Soc* 1990; 38: 1353.

PHYSIOLOGY

Booth FW, Weeden SH, Tseng BS. Effect of aging on human skeletal muscle and motor function. *Med Sci Sports Exerc* 1994; 26(5): 556-60. **

Brooks SV, Faulkner JA. Skeletal muscle weakness in old age: underlying mechanisms. *Med Sci Sports Exerc* 1994; 26(4): 432-9. **

Crews JE. The demographic, social, and conceptual contexts of aging and vision loss. *J Am Optometr Assoc* 1994; 65(1): 63-8. **

Elble RJ. The role of aging in the clinical expression of essential tremor. *Experiment Gerontol* 1995; 30(3-4): 337-47. **

Erwin WG. Geriatrics. In: Dipiro JT et al, eds. *Pharmacotherapy: A Pathophysiologic Approach*, 2nd ed. Norwalk, CT: Appleton & Lange, 1992, 64-70.

Geokaz MC, Lakotta EG, Makinodan T, Timiraz PS. The aging process. *Ann Intern Med* 1990; 113: 455-466.

Grimby G. Muscle performance and structure in the elderly as studied cross-sectionally and longitudinally. *J Gerontol* 1995; 50: 17-22. **

Literature Citations

Gurwitz JH, Avorn J. The ambiguous relation between aging and adverse drug reactions. *Ann Intern Med* 1991; 114: 956-965. **

Hurley BF. Age, gender, and muscular strength. *J Gerontol* 1995; 50: 41-4. **

Lamy PP. Physiological changes due to age. pharmacodynamic changes of drug action and implications for therapy. *Drugs Aging* 1991; 1(5) : 385-404.

Masters WH, Johnson VE. Sex and the aging process. *J Am Geriatr Soc* 1981; 29: 385-390. **

Rapp PR, Heindel WC. Memory systems in normal and pathological aging. *Curr Op Neurol* 1994; 7(4): 294-8. **

Rowe JW, Kahn RL. Human aging: usual and successful. *Science* 1987; 237: 143-9.

Silver AJ, Guillen CP, Kahl MJ, Morley JE. Effect of aging on body fat. *J Am Geriatr Soc* 1993; 41: 211-213. **

Stolarek I, Scott PJ, Caird FI. Physiological changes due to age: implications for cardiovascular drug therapy. *Drugs Aging* 1991; 1(6) : 467-76.

Tseng BS, Marsh DR, Hamilton MT, Booth FW. Strength and aerobic training attenuate muscle wasting and improve resistance to the development of disability with aging. *J Gerontol* 1995; 50: 113-9. **

Vijg J, Wei JY. Understanding the biology of aging: the key to prevention and therapy. *J Am Geriatr Soc* 1995; 43: 426-434. **

Wallace JJ et al. Involuntary weight loss in older outpatients: incidence and clinical significance. *J Am Geriatr Soc* 1995; 43: 329-337. **

Wei JY. Age and the cardiovascular system. *N Engl J Med* 1992; 327: 1735-1739. **

Woodhouse KW, James OFW. Hepatic drug metabolism and aging. *Brit Med Bull* 1990; 46: 22-35.

Young A, Skelton DA. Applied physiology of strength and power in old age. *Internat J Sports Med* 1994; 15(3): 149-51. **

Literature Citations

Besa EC. Approach to mild anemia in the elderly. *Clin Geriatr Med* 1988; 4(1): 43-56.

Damon LE. Anemias of chronic disease in the aged: diagnosis and treatment. *Geriatrics* 1992; 47(4): 47-54.

Davies NM, Jamali F, Skeith KJ. Nonsteroidal antiinflammatory drug-induced enteropathy and severe chronic anemia in a patient with rheumatoid arthritis. *Arthritis Rheum* 1996; 39(2): 321-4. **

Dunn CJ, Wagstaff AJ. Epoetin alfa. a review of its clinical efficacy in the management of anemia associated with renal failure and chronic disease and its use in surgical patients. . *Drugs Aging* 1995; 7(2): 131-56. **

Hamblin T. Recent advances in the management of myelodysplastic syndromes. *Hematol Oncol* 1993; 11(Suppl 1): 27-31.

Lipschitz DA. The anemia of chronic disease. *J Am Geriatr Soc* 1990; 38: 1258-64.

Mohler ER Jr. Iron deficiency and anemia of chronic disease. clues to differentiating these conditions. *Postgrad Med* 1992; 92(4): 123-8.

Murphy PT, Hutchinson RM. Identification and treatment of anemia in older patients. *Drugs Aging* 1994; 4(2): 113-27. **

Scott RB. Common blood disorders: a primary care approach. *Geriatrics* 1993; 48(4): 72-6, 79-80. **

Literature Citations

Alderman EL, Botas J. Selection of revascularization for patients with stable angina pectoris. *Coronary Artery Dis* 1993; 4(12): 1061-7.

Ambepitiya GB, Lyengar EN, Roberts ME. Review: silent exertional myocardial ischaemia and perception of angina in elderly people. *Age & Aging* 1993; 22(4): 302-7.

Asimacopoulos PJ et al. Pernicious anemia manifesting as angina pectoris. *South Med J* 1994; 87(6): 671-2. **

Doughty RN, Sharpe N. Optimal treatment of angina in older patients. *Drugs Aging* 1996; 8(5): 349-57. **

Fein SA, Breisblatt W, Doyle JT, Singh A. Approach to ischemic heart disease, coronary care, and severe heart failure (including cardiogenic shock). *Clin Geriatr Med* 1994; 10(1): 145-60. **

Flanagin A. Atherosclerosis in the elderly: treatment and prevention of angina pectoris. *Consult Pharm* 1988; March/April: 95-109. **

Frishman WH. Treatment of myocardial ischemia and myocardial infarction in the elderly. *South Med J* 1993; 86(10): 2S29-37. **

Ganz LI, Andrews TC, Barry J, Raby KE. Silent ischemia preceding sudden cardiac death in a patient after vascular surgery. *Am Heart J* 1994; 127(6): 1652-4.

Keller NM, Feit F. Coronary artery disease in the geriatric population. *Progress Cardio Dis* 1996; 38(5): 407-18. **

Loui WS, Blackshear JL, Fredrickson PA, Kaplan J. Obstructive sleep apnea manifesting as suspected angina: report of three cases. *Mayo Clin Proc* 1994; 69(3): 244-8. **

McCully JD, Levitsky S. Myocardial protection in the elderly. biology of the senescent heart. *Ann New York Acad Sciences* 1996; 793: 305-18.

Nafziger AN. Clinical relevance of reducing triglycerides. implications for ischaemic heart disease treatment. *Drugs* 1994; 48(1): 1-8.

Olson HG, Aronow WS. Medical management of stable angina and unstable angina in the elderly with coronary artery disease. *Clin Geriatr Med* 1996; 12(1): 121-40. **

Smith E, Powell H, Hastie IR. Coronary artery disease, valvular heart disease, bradycardia, and heart failure. *Postgrad Med J* 1995; 71(836): 346-53.

Literature Citations

Thompson DR. Cardiac rehabilitation: how can it be improved?. *J Psychosomatic Res* 1995; 39(5): 519-23.

Verdouw PD, Duncker DJ, Gho BC. Ischaemic preconditioning: is it clinically relevant. *Euro Heart J* 1995; 16(9): 1169-76. **

Wald NJ, Law MR. Serum cholesterol and ischaemic heart disease. *Atherosclerosis* 1995; 118(Suppl): S1-5. **

Literature Citations

Ashton H. Guidelines for the rational use of benzodiazepines. when and what to use. *Drugs* 1994; 48(1): 25-40. **

Barbee JG, McLaulin JB. Anxiety disorders: diagnosis and pharmacotherapy in the elderly. *Psychiatr Ann* 1990; 20: 439-45.

Bone RC et al. Recognition, assessment, and treatment of anxiety in the critical care patient. *Dis Mon* 1995; 41(5): 293-359. **

Cadieux RJ. Azapirones: an alternative to benzodiazepines for anxiety. *Am Fam Physician* 1996; 53(7): 2349-53. **

Cohen-Mansfield J, Billig N. Agitated behaviors in the elderly; a conceptual review. *J Am Geriatr Soc* 1986; 34: 711-21.

Fernandez F, Levy JK, Lachar BL, Small GW. The management of depression and anxiety in the elderly. *J Clin Psychiatry* 1995; 56(Suppl 2): 20-9. **

Hocking LB, Koenig HG. Anxiety in medically ill older patients: a review and update. *Internat J Psychiatry Med* 1995; 25(3): 221-38. **

Labelle A, Lapierre YD. Anxiety disorders. part 2: pharmacotherapy with benzodiazepines. *Can Fam Physician* 1993; 39: 2205+. **

Markovitz PJ. Treatment of anxiety in the elderly. *J Clin Psychiatr* 1993; 54(Suppl): 64-8. **

Martin LM, Fleming KC, Evans JM. Recognition and management of anxiety and depression in elderly patients. *Mayo Clin Proc* 1995; 70(10): 999-1006. **

Schneider LS. Overview of generalized anxiety disorder in the elderly. *J Clin Psychiatry* 1996; 57(Suppl 7): 34+. **

Sheikh JI, Salzman C. Anxiety in the elderly. course and treatment. *Psychiatr Clin North Am* 1995; 18(4): 871-83. **

Shorr RI, Robin DW. Rational use of benzodiazepines in the elderly. *Drugs Aging* 1994; 4(1): 9-20. **

Smith SL, Sherrill KA, Colenda CC. Assessing and treating anxiety in elderly persons. *Psychiatr Serv* 1995; 46(1): 36-42. **

Steinberg JR. Anxiety in elderly patients. a comparison of azapirones and benzodiazepines. *Drugs Aging* 1994; 5(5): 335-45. **

Literature Citations

Stoudemire A. Epidemiology and psychopharmacology of anxiety in medical patients. *J Clin Psychiatry* 1996; 57(Suppl 7): 64+. **

Stoudemire A, Moran MG. Psychopharmacologic treatment of anxiety in the medically ill elderly patient: special considerations. *J Clin Psychiatry* 1993; 54(Suppl): 27+. **

Weiss KJ. Optimal management of anxiety in older patients. *Drugs Aging* 1996; 9(3): 191-201. **

Weiss KJ. Management of anxiety and depression syndromes in the elderly. *J Clin Psychiatry* 1994; 55(Suppl): 5-12. **

Wise MG, Griffies WS. A combined treatment approach to anxiety in the medically ill. *J Clin Psychiatry* 1995; 56(Suppl 2): 14-9. **

Literature Citations

Alexander JK. Age, altitude, and arrhythmia. *Tex Heart Instit J* 1995; 22(4): 308-16. **

Aronow WS. Treatment of ventricular arrhythmias in older adults. *J Am Geriatr Soc* 1995; 43(6): 688-95. **

Aronow WS. Usefulness of the resting electrocardiogram in the elderly. *Comprehen Ther* 1992; 18(11): 11-6. **

Assey ME. Heart disease in the elderly. *Heart Dis Stroke* 1993; 2(4): 330-4. **

Baer M, Goldschlager N. Atrial fibrillation: an update on new management strategies. *Geriatrics* 1995; 50(4): 22-9.

Beauregard LA, Barnard PW, Russo AM, Waxman HL. Perceived and actual risks of driving in patients with arrhythmia control devices. *Arch Intern Med* 1995; 155(6): 609-13. **

Brodsky MA et al. Life-threatening alterations in heart rate after the use of adenosine in atrial flutter. *Am Heart J* 1995; 130(3): 564-71. **

Bush DE, Finucane TE. Permanent cardiac pacemakers in the elderly. *J Am Geriatr Soc* 1994; 42(3): 326-34. **

Carter BI, Angaran DM, Lake KD et al (eds). *Pharmacotherapy self-assessment program, 2nd ed. Module 1 - Cardiovascular*. Kansas City, MO: American College of Clinical Pharmacy, 1995.

Check WA. Caution urged in prescribing of generic antiarrhythmic drugs. *Consult Pharm* 1990; 5(11): 718-721. **

Cobbe SM. Incidence and risks associated with atrial fibrillation. *Pacing Clin Electrophysiol* 1994; 17(5): 1005-10.

Cosin Aguilar J, Hernandez Martinez A, Andres Conejos F. Mechanisms of ventricular arrhythmias in the presence of pathological hypertrophy. *Euro Heart J* 1993; 14(Suppl J): 65-70. **

Glassman AH, Roose SP. Risks of antidepressants in the elderly: tricyclic antidepressants and arrhythmia-revising risks. *Gerontol* 1994; 40(Suppl 1): 15-20. **

Greene HL. Clinical significance and management of arrhythmias in the heart failure patient. *Clin Cardiol* 1992; 15(Suppl 1): I13-21. **

Literature Citations

- Haefeli WE, Schoenenberger RA, Weiss P, Ritz R. Possible risk for cardiac arrhythmia related to intravenous erythromycin. *Intens Care Med* 1992; 18(8): 469-73. **
- Kim CH, Daubert JP, Akiyama T. Antiarrhythmic agents in older patients. current state of knowledge. *Drugs Aging* 1994; 4(6): 462-9. **
- Leitner DA et al. Evaluation of anticoagulation for chronic atrial fibrillation in skilled-nursing facility residents. *Consult Pharm* 1994; 9(8): 880-885. **
- Limacher MC. Clinical features of coronary heart disease in the elderly. *Cardio Clin* 1992; 22(2): 63-73. **
- Marinchak RA et al. Diagnosis and treatment of cardiac rhythm disorders in the elderly. *Clin Geriatr Med* 1988; 4(1): 83-110.
- McComb JM. Tachycardias in the elderly. *J Royal Soc Med* 1994; 87(12): 794-7.
- Moss AJ. Measurement of the QT interval and the risk associated with QTc interval prolongation: a review. *Am J Cardiol* 1993; 72(6): 23B-25B. **
- Phillips PA, Burrell LM, Tonkin AM, Johnston CI. Congestive cardiac failure and arrhythmias. *Med J Austral* 1995; 162(1): 44-77.
- Restricker LJ, Huddy N, Hoffbrand BI. Diuretic-induced hypokalaemia and surgery: much ado about nothing. *Postgrad Med J* 1992; 68(799): 318-20.
- Rials SJ, Marinchak RA, Kowey PR. Arrhythmias in the elderly. *Cardio Clin* 1992; 22(2): 139-57. **
- Shetty HG, Woodhouse KW. Use of amiodarone for elderly patients. *Age & Aging* 1992; 21(4): 233-6.
- Smith SM. Current management of acute myocardial infarction. *Dis Mon* 1995; 41(6): 363-433. **
- Spratt KA et al. Infections of implantable cardioverter defibrillators: approach to management. *Clin Infect Dis* 1993; 17(4): 679-85. **
- Stevenson WG, Stevenson LW, Middlekauff HR, Saxon LA. Sudden death prevention in patients with advanced ventricular dysfunction. *Circulation* 1993; 88(6): 2953-61.
- Thompson CJ. Dysrhythmia formation in the older adult. *Crit Care Nurs Quart* 1996; 19(2): 23-33. **

Literature Citations

Tisdale JE et al. Electrophysiologic and proarrhythmic effects of intravenous inotropic agents. *Prog Cardio Dis* 1995; 38(2): 167-80. **

Tresch DD. Diagnostic and prognostic value of ambulatory electrographic monitoring in older patients. *J Am Geriatr Soc* 1995; 43(1): 66-70. **

Literature Citations

- Adkinson NF Jr. Is asthma always an allergic disease. *Transa Am Clin Climatolog Assoc* 1992; 103: 218-27.
- Anderson CJ, Bardana EJ Jr. Asthma in the elderly: the importance of patient education. *Comprehensive Ther* 1996; 22(6): 375-83.
- Anderson HR. Epidemiology of asthma. *Brit J Hosp Med* 1992; 47(2): 99-104. **
- Braman SS. Asthma in the elderly patient. *Clin Chest Med* 1993; 14(3): 413-22. **
- Connolly MJ. Aging, late-onset asthma and the beta-adrenoceptor. *Pharmacology & Therapeutics* 1993; 60(3): 389-404. **
- Dow L. The diagnosis of asthma in older people. *Clin Exper Allergy* 1994; 24(2): 156-9.
- Enright PL, Lebowitz MD, Cockcroft DW. Physiologic measures: pulmonary function tests. asthma outcome. *Am J Respir Crit Care Med* 1994; 149(2): S9-S20. **
- Holgate ST. The efficacy and therapeutic position of nedocromil sodium. *Respiratory Med* 1996; 90(7): 391-4.
- Isoaho R et al. Prevalence of asthma in elderly finns. *J Clin Epidemiol* 1994; 47(10): 1109-18. **
- Jones K. Late-onset asthma. *Practitioner* 1992; 236(1520): 1047-50.
- Kisch GL, Paloucek FP. Metered-dose inhalers and nebulizers in the acute setting. *Ann Pharmacother* 1992; 26(1): 92-5. **
- Lackner TE. Theophylline dose determinations in geriatric patients: pharmacokinetic considerations. *Consult Pharm* 1994; 9: 78-82.
- O'Brien-Ladner A. Asthma: new insights in the management of older adults. *Geriatrics* 1994; 49(11): 20-5, 30-2. **
- Pattimore PK, Johnston SL, Bardin PG. Viruses as precipitants of asthma symptoms. I. epidemiology. *Clin Exper Allergy* 1992; 22(3): 325-36. **
- Patterson R et al. Evolution of patient care, education, and research in asthma by one academic team of investigators over 35 years: the northwestern university medical school division of allergy-immunology experience (Part Two). *Allergy Proceed* 1994; 15(4): 223-32. **

Literature Citations

Prabhudesai PP. Non-responsiveness to drug therapy in bronchial asthma. *J Assoc Physicians India* 1994; 42(1): 56-9.

Sherman CB. Late-onset asthma: making the diagnosis, choosing drug therapy. *Geriatrics* 1995; 50(12): 24-33. **

Skorodin MS. Pharmacotherapy for asthma and chronic obstructive pulmonary disease. *Arch Intern Med* 1993; 153: 814-828.

Traver GA, Cline MG, Burrows B. Asthma in the elderly. *J Asthma* 1993; 30(2): 81-91.

Vadasz I. The theophylline dilemma. *Therapia Hungarica* 1992; 40(1): 3-7. **

Weiss KB, Gergen PJ, Wagener DK. Breathing better or wheezing worse? the changing epidemiology of asthma morbidity and mortality. *Ann Rev Public Health* 1993; 14: 491-513.

Literature Citations

Appell RA. Pathogenesis and medical management of benign prostatic hyperplasia. *Sem Nephrol* 1994; 14(6): 531-43. **

Aso Y, Homma Y. Clinical research criteria: response criteria for evaluating efficacy of treatments for benign prostatic hypertrophy. *Brit J Urol* 1995; 76(Suppl 1): 69-73.

Boyle P. New insights into the epidemiology and natural history of benign prostatic hyperplasia. *Progress Clin Biolog Res* 1994; 386: 3-18. **

Denis LJ. Diagnosing benign prostatic hyperplasia versus prostate cancer. *Brit J Urol* 1995; 76(Suppl 1): 17-23.

Garraway WM, Kirby RS. Benign prostatic hyperplasia: effects on quality of life and impact on treatment decisions. *Urology* 1994; 44(5): 629-36.

Gaudin PB, Epstein JI. Adenosis of the prostate. Histologic features in transurethral resection specimens. *Amer J Surg Pathol* 1994; 18(9): 863-70. **

Guess HA, Gormley GJ, Stoner E, Oesterling JE. The effect of finasteride on prostate specific antigen: review of available data. *J Urol* 1996; 155(1): 3-9. **

Hicks RJ, Cook JB. Managing patients with benign prostatic hyperplasia. *Am Fam Physician* 1995; 52(1): 135-42, 145-6. **

Hollander JB, Diokno AC. Prostatism: benign prostatic hyperplasia. *Urolog Clin North Am* 1996; 23(1): 75-86. **

Kirby RS. BPH: when to rule out carcinoma of the prostate. *Progress Clin Biolog Res* 1994; 386: 333-43. **

Kozminski M. Benign prostatic hyperplasia: diagnosis and treatment options. *Comprehen Ther* 1994; 20(12): 674-7. **

Lu-Yao GL et al. Transurethral resection of the prostate among medicare beneficiaries in the United States: time trends and outcomes. Prostate Patient Outcomes Research Team (PORT). *Urology* 1994; 44(5): 692-8. **

O'Leary MP. Epidemiology of benign prostatic hyperplasia. *Brit J Urol* 1995; 76(Suppl 1): 1-3.
Oesterling JE. Benign prostatic hyperplasia: a review of its histogenesis and natural history. *Prostate* 1996; 6(suppl): 67-73. **

Literature Citations

Pascual J, Woodhouse K. Pharmacological treatment of benign prostatic hyperplasia. *Brit J Clin Pract* 1994; 48(3): 137-8. **

Pool JL. Doxazosin: a new approach to hypertension and benign prostatic hyperplasia. *Brit J Clin Pract* 1996; 50(3): 154-63. **

Stoner E. 5 alpha-reductase inhibitors for the treatment of benign prostatic hyperplasia. *Recent Progress Hormone Res* 1994; 49: 285-92.

Literature Citations

- Adams HP Jr. Use of anticoagulants or antiplatelet aggregating drugs in the prevention of ischemic stroke. *Adv Intern Med* 1995; 40: 503-31.
- Asconape JJ, Penry JK. Poststroke seizures in the elderly. *Clin Geriatr Med* 1991; 7: 483-492.
- Barnett HJM, Eliasziw M, Meldrum HE. Drugs and surgery in the prevention of ischemic stroke. *N Engl J Med* 1995; 332: 238-247. **
- Fagan SC. Stroke: the injured brain. *US Pharm* 1994; February: 44-68.
- Ferro JM, Melo TP, Oliveira V, Salgado AV, Crespo M, Canhao P, Pinto AN. A multivariate study of headache associated with ischemic stroke. *Headache* 1995; 35(6): 315-9. **
- Frampton JE, Brogden RN. Pentoxifylline (oxpentifylline). a review of its therapeutic efficacy in the management of peripheral vascular and cerebrovascular disorders. *Drugs Aging* 1995; 7(6): 480-503. **
- Gaines K, Burke G. Ethnic differences in stroke: black-white differences in the United States population. SECORDS Investigators. Southeastern Consortium on Racial Differences in Stroke. *Neuroepidemiol* 1995; 14(5): 209-39. **
- Gustafson Y et al. Epidemiology and treatment of post-stroke depression. *Drugs Aging* 1995; 7(4): 298-309. **
- Harper G. Treatment of stroke in older patients. a state of the art review. *Drugs Aging* 1995; 6(1): 29-44. **
- Hart RG, Harrison MJ. Aspirin wars: the optimal dose of aspirin prevent stroke. *Stroke* 1996; 27(4): 585-7.
- Kalra L. A proposal for an integrated multidisciplinary assessment battery in elderly stroke patients. *Aging* 1995; 7(3): 197-201.
- Lamb KV, Waszkiewicz M, Davis-Kipnis N. Dual disabilities: when a stroke patient fractures a hip. *Ortho Nurs* 1996; 15(5): 13-22. *
- MacMahon S, Rodgers A. Primary and secondary prevention of stroke. *Clin Experi Hyperten* 1996; 18(3-4): 537-46. **
- Matchar DB, McCrory DC, Barnett HJM, Feussner JR. Medical treatment for stroke prevention. *Ann Intern Med* 1994; 121: 41-52. **

Literature Citations

- Morley J, Marinchak R, Rials SJ, Kowey P. Atrial fibrillation, anticoagulation, and stroke. *Am J Cardiol* 1996; 77(3): 38A-44A. **
- Quandt CM, Talbert RL, Reyed RA. Current concepts in clinical therapeutics: ischemic cerebrovascular disease. *Clin Pharm* 1987; 6: 292-305.
- Rogers SJ, Sherman DG. Pathophysiology and treatment of acute ischemic stroke. *Clin Pharm* 1993; 12: 359-76.
- Sabbatini M, Strocchi P, Amenta F. Nicardipine and treatment of cerebrovascular diseases with particular reference to hypertension-related disorders. *Clin Experi Hyperten* 1995; 17(5): 719-50. **
- SHEP cooperative research group. Prevention of stroke by antihypertensive drug treatment in older persons with isolated systolic hypertension. *JAMA* 1991; 265: 3255-3263. **
- Sherman DG, Dyken ML, Fisher M et al. Antithrombotic therapy for cerebrovascular disorders. *Chest* 1992; 102(suppl): 529S-537S.
- Sisson RA. Cognitive status as a predictor of right hemisphere stroke outcomes. *J Neurosci Nurs* 1995; 27(3): 152-6. **
- Strandgaard S, Paulson OB. Cerebrovascular damage in hypertension. *J Cardio Risk* 1995; 2(1): 34-9. **
- Taylor TN et al. Lifetime cost of stroke in the United States. *Stroke* 1996; 27(9): 1459-66. **
- Thompson DW, Furlan AJ. Clinical epidemiology of stroke. *Neurol Clin* 1996; 14(2): 309-15. **
- Vogel CH. Assessment and approach to treatment in post-stroke depression. *J Amer Acad Nurs Practition* 1995; 7(10): 493-7. **
- Whisnant JP. Effectiveness versus efficacy of treatment of hypertension for stroke prevention. *Neurology* 1996; 46(2): 301-7.
- Wolfe C, Beech R, Ratcliffe M, Rudd AG. Stroke care in Europe. can we learn lessons from the different ways stroke is managed in different countries. *J Royal Soc Health* 1995; 115(3): 143-7. **

Literature Citations

- Alberts WM, Rolfe MW. A step care approach to managing COPD. *Hosp Formul* 1994; 29: 756-66.
- Ambrosino N, Foglio K. Selection criteria for pulmonary rehabilitation. *Resp Med* 1996; 90(6): 317-22.
- American Thoracic Society. Standards for the diagnosis and care of patients with chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 1995; 152: S77-S120.
- Chalker RB, Celli BR. Special considerations in the elderly patient. *Clin Chest Med* 1993; 14(3): 437-52. **
- Chapman KM, Winter L. COPD: using nutrition to prevent respiratory function decline. *Geriatrics* 1996; 57: 37-42.
- Ferguson GT, Cherniack RM. Management of chronic obstructive pulmonary disease. *N Engl J Med* 1993; 328(14): 1017-1022.
- Kuhl DA, Agiri OA, Mauro LS. Beta-agonists in the treatment of acute exacerbation of chronic obstructive pulmonary disease. *Ann Pharmacother* 1994; 28(12): 1379-88. **
- Lackner TE. Theophylline dose determinations in geriatric patients: pharmacokinetic considerations. *Consult Pharm* 1994; 9: 78-82.
- Listello D, Glauser F. COPD: primary care management with drug and oxygen therapies. *Geriatrics* 1992; 47(12): 28-30, 35-8.
- Morton MR. Theophylline dosing and monitoring. *Consult Pharm* 1991; 6(4): 327. **
- O'Donnell DE, Webb KA, McGuire MA. Older patients with COPD: benefits of exercise training. *Geriatrics* 1993; 48(1): 59-62, 65-6. **
- O'Hagan J. Prevention of chronic obstructive pulmonary disease: a challenge for the health professions. *New Zealand Med J* 1996; 109(1014): 1-2.
- Ramsdell J. Use of theophylline in the treatment of COPD. *Chest* 1995; 107(5 Suppl): 206S-209S.
- Rodrigues JC, Ilowite JS. Pulmonary rehabilitation in the elderly patient. *Clin Chest Med* 1993; 14(3): 429-36. **
- Rossi A, Ganassini A, Tantucci C, Grassi V. Aging and the respiratory system. *Aging* 1996; 8(3): 143-61. **

Literature Citations

Skorodin MS. Pharmacotherapy for asthma and chronic obstructive pulmonary disease. Arch Intern Med 1993; 153: 814-828.

Tolep K, Kelsen SG. Effect of aging on respiratory skeletal muscles. Clin Chest Med 1993; 14(3): 363-78. **

Vandiviere HM. Pulmonary hypertension and cor pulmonale. South Med J 1993; 86(10): 2S7-10. **

Literature Citations

- Bernell P. Aplastic anemia with a trilineage response to erythropoietin therapy. *J Intern Med* 1996; 239(1): 79-81. **
- Ismail N, Hakim RM, Helderman JH. Renal replacement therapies in the elderly: Part II. renal transplantation. *Amer J Kidney Dis* 1994; 23(1): 1-15. **
- Kutner NG. Psychosocial issues in end-stage renal disease: aging. *Advan Renal Replace Ther* 1994; 1(3): 210-8. **
- Lindeman RD et al. Longitudinal studies on the rate of decline in renal function with age. *J Am Geriatr Soc* 1985; 33: 278.
- Maiorca R. Cardiovascular problems in the choice of dialysis therapy for the elderly. *Contrib Nephrol* 1994; 106: 74-83.
- Meyer BR. Renal function in aging. *J Am Geriatr Soc* 1989; 37: 791-800.
- Mignon F et al. The management of uremia in the elderly: treatment choices. *Nephrol Dial Transplant* 1995; 10(Suppl 6): 55-9. **
- Nissenson AR. Quality of life elderly and diabetic patients on peritoneal dialysis. *Periton Dial Internat* 1996; 16(Suppl 1): S406-9.
- Quarello F et al. Arterial hypertension and mortality in dialysis patients. RPDT Working Group. *Contrib Nephrol* 1996; 119: 141-6.
- Roy AT et al. Renal failure in older people. *J Am Geriatr Soc* 1990; 38: 239.
- Yoshimoto K. Famotidine-associated central nervous system reactions and plasma and cerebrospinal drug concentrations in neurosurgical patients with renal failure. *Clin Pharmacol Ther* 1994; 55(6): 693-700. **

Literature Citations

Barrett D. Older people. watching your language. *Health Visit* 1994; 67(8): 269.

Douglas KC, Fujimoto D. Asian Pacific elders. implications for health care providers. *Clin Geriatr Med* 1995; 11(1): 69-82. **

Erber NP. Communicating with elders. effects of amplification. *J Gerontol Nurs* 1994; 20(10): 6-10.

Evans CA, Cunningham BA. Caring for the ethnic elder. even when language is not a barrier, patients may be reluctant to discuss their beliefs and practices for fear of criticism or ridicule. *Geriatr Nurs* 1996; 17(3): 105-10.

Hanson L. Breaking through barriers. *Nurs* 1995; 25(9): 31.

Hepburn K, Reed R. Ethical and clinical issues with Native-American elders. end-of-life decision making. *Clin Geriatr Med* 1995; 11(1): 97-111. **

Kato J, Hickson L, Worrall L. Communication difficulties of nursing home residents. how can staff help. *J Gerontol Nurs* 1996; 22(5): 26-31. **

Le Dorze G, Julien M, Brassard C, Durocher J, Boivin G. An analysis of the communication of adult residents of a long-term care hospital as perceived by their caregivers. *Euro J Disord Commun* 1994; 29(3): 241-68.

Lindblade DD, McDonald M. Removing communication barriers for the hearing-impaired elderly. *Med Surg Nurs* 1995; 4(5): 379-85. **

Mallet L. Counseling in special populations: the elderly patient. *Am Pharm* 1992; NS32: 71-79.

Mayeaux EJ Jr et al. Improving patient education for patients with low literacy skills. *Am Fam Physician* 1996; 53(1): 205-11. **

Mazur DJ, Merz JF. How the manner of presentation of data influences older patients in determining their treatment preferences. *J Am Geriatr Soc* 1993; 41: 223-228. **

Morrison RS, Morrison EW, Glickman DF. Physician reluctance to discuss advance directives. an empiric investigation of potential barriers. *Arch Intern Med* 1994; 154(20): 2311-8.

Ryan EB, Meredith SD, MacLean MJ, Orange JB. Changing the way we talk with elders: promoting health using the communication enhancement model. *Internat J Aging Human Devel* 1995; 41(2): 89-107. **

Vance D. Barriers and aids in conducting research with older homeless individuals. *Psychol Rep* 1995; 76(Pt 1): 783-6. **

Literature Citations

Brownell KD, Cohen LR. Adherence to dietary regimens. 2: components of effective interventions. *Behav Med* 1995; 20(4): 155-64. **

Cooper J. Improving compliance with glaucoma eye-drop treatment. *Nurs Times* 1996; 92(32): 36-7. **

Corlett AJ. Aids to compliance with medication. *Brit Med J* 1996; 313(7062): 926-9. **

Doren M, Schneider HP. The impact of different HRT regimens on compliance. *Internat J Fertility Menopausal Stud* 1996; 41(1): 29-39. **

Fitten LJ et al. Assessment of capacity to comply with medication regimens in older patients. *J Am Geriatr Soc* 1995; 43: 361-367. **

Gehres RW. Medication compliance aids. *Consult Pharm* 1986; 1(3): 218-220. **

Ginzel AR. Women's compliance with cardiac rehabilitation programs. *Prog Cardio Nurs* 1996; 11(1): 30-5. **

Kirchner JT. Nonsteroidal anti-inflammatory drug use in the elderly: issues of compliance and safety. *J Amer Osteopath Assoc* 1994; 94(4): 300-4. **

Lipton HL, Bird JA. The impact of clinical pharmacists' consultations on geriatric patients' compliance and medical care use: a randomized controlled trial. *Gerontologist* 1994; 34: 307-315. **

Meyer ME, Schuna AA. Assessment of geriatric patients' functional ability to take medication. *Ann Pharmacother* 1989; 23: 171-174. **

Morrow D, Leirer V, Sheikh J. Adherence and medication instructions; review and recommendations. *J Am Geriatr Soc* 1988; 36: 1147-60.

Salzman C. Medication compliance in the elderly. *J Clin Psychiatry* 1995; 56(Suppl 1): 18-22. **

Samsioe G. Hormone replacement therapy: aspects of bleeding problems and compliance. *Internat J Fertility Menopausal Stud* 1996; 41(1): 11-5. **

Spagnoli A, Ostino G, Borga AD et al. Drug compliance and unreported drugs in the elderly. *J Am Geriatr Soc* 1989; 37: 619-24.

Stuck AE, Tamai IY. Medication management in the home. *Clin Geriatr Med* 1991; 7(4): 733-48.

Weintraub M. Compliance in the elderly. *Clin Geriatr Med* 1990 ; 6(2): 445-52.

Literature Citations

Abyad A, Mourad F. Constipation: common-sense care of the older patient. *Geriatrics* 1996; 51(12): 28-34, 36. **

Barrett JA. ABC of colorectal diseases. colorectal disorders in the elderly. *Brit Med J* 1992; 305(6856): 764-6.

Gattuso JM, Kamm MA. Review article: the management of constipation in adults. *Aliment Pharmacol Therapeut* 1993; 7(5): 487-500. **

Harari D, Gurwitz JH, Minaker KL. Constipation in the elderly. *J Am Geriatr Soc* 1993; 41: 1130-1140. **

Kot TV, Pettit-Young NA. Lactulose in the management of constipation: a current review. *Ann Pharmacother* 1992; 26(10): 1277-82.

Lederle FA. Epidemiology of constipation in elderly patients. drug utilization and cost-containment strategies. *Drugs Aging* 1995; 6(6): 465-9. **

Lubowski DZ, Chen FC, Kennedy ML, King DW. Results of colectomy for severe slow transit constipation. *Dis Colon Rectum* 1996; 39(1): 23-9. **

Monane M, Avorn J, Beers MH, Everitt DE. Anticholinergic drug use and bowel function in nursing home patients. *Arch Intern Med* 1993; 153: 633-638. **

Read NW, Celik AF, Katsinelos P. Constipation and incontinence in the elderly. *J Clin Gastroenter* 1995; 20(1): 61-70. **

Romero Y, Evans JM, Fleming KC, Phillips SF. Constipation and fecal incontinence in the elderly population. *Mayo Clin Proc* 1996; 71(1): 81-92. **

Shoji BT, Becker JM. Colorectal disease in the elderly patient. *Surg Clin North Am* 1994; 74(2): 293-316. **

Tedesco FJ et al. Laxative use in constipation. *Am J Gastroenterol* 1985; 80: 303-9.

Wald A. Constipation and fecal incontinence in the elderly. *Sem Gastrointest Dis* 1994; 5(4): 179-88.

Wald A. Constipation in elderly patients. pathogenesis and management. *Drugs Aging* 1993; 3(3): 220-31. **

Wrenn K. Fecal impaction. *N Engl J Med* 1989; 321: 658-62.

Literature Citations

Anon. Drugs that cause psychiatric symptoms. *Med Lett* 1993; 35: 65-69.

Beck CK, Heacock P, Rapp CG, Shue V. Cognitive impairment in the elderly. *Nurs Clin North Am* 1993; 28(2): 335-47. **

Bross MH, Tatum NO. Delirium in the elderly patient. *Am Fam Physician* 1994; 50(6): 1325-32. **

Cronin-Stubbs D. Delirium intervention research in acute care settings. *Ann Rev Nurs Res* 1996; 14: 57-73.

Francis J. Delirium in older patients. *J Am Geriatr Soc* 1992; 40(8): 829-38.

Greenwald BS, Kremen N, Aupperle P. Tailoring adult psychiatric practices to the field of geriatrics. *Psychiatr Quart* 1992; 63(4): 343-66. **

Inouye SK. The dilemma of delirium: clinical and research controversies regarding diagnosis and evaluation of delirium in hospitalized elderly medical patients. *Am J Med* 1994; 97: 278-288. **

Inouye SK. Delirium in hospitalized elderly patients: recognition, evaluation, and management. *Ct Med* 1993; 57(5): 309-15.

Levkoff SE, Marcantonio ER. Delirium: a major diagnostic and therapeutic challenge for clinicians caring for the elderly. *Comprehen Ther* 1994; 20(10): 550-7.

Lipowski ZJ. Delirium in the elderly patient. *N Engl J Med* 1989; 320: 578-81.

Liptzin B. Delirium. *Arch Fam Med* 1995; 4(5): 453-8. **

McLean S. Is it dementia. *Austral Fam Physician* 1992; 21(12): 1762-8, 1772-4. **

Paist SS 3rd, Martin JR. Brain failure in older patients. uncovering treatable causes of a diminished ability to think. *Postgrad Med* 1996; 99(5): 125-8, 130-4, 136. **

Parikh SS, Chung F. Postoperative delirium in the elderly. *Anesth Analg* 1995; 80(6): 1223-32. **

Pollock BG, Mulsant BH. Antipsychotics in older patients. a safety perspective. *Drugs Aging* 1995; 6(4): 312-23. **

Revankar SG, Applegate AL, Markovitz DM. Delirium associated with acyclovir treatment in a patient with renal failure. *Clin Infect Dis* 1995; 21(2): 435-6. **

Literature Citations

Rummans TA, Evans JM, Krahn LE, Fleming KC. Delirium in elderly patients: evaluation and management. *Mayo Clin Proc* 1995; 70(10): 989-98. **

Sanders KM, Stern TA. Management of delirium associated with use of the intra-aortic balloon pump. *Amer J Crit Care* 1993; 2(5): 371-7. **

St. Pierre J. Delirium in hospitalized elderly patients: off track. *Crit Care Nurs Clin North Am* 1996; 8(1): 53-60. **

Sumner AD, Simons RJ. Delirium in the hospitalized elderly. *Cleve Clin J Med* 1994; 61(4): 258-62. **

Tucker LA. Post-pump delirium. *Intens Crit Care Nurs* 1993; 9(4): 269-73. **

Weinrich S, Sarna L. Delirium in the older person with cancer. *Cancer* 1994; 74(Suppl 7): 2079-91. **

Literature Citations

- Anon. Study finds higher rate of alzheimer's disease in elderly. *Consult Pharm* 1990; 5(2): 104. **
- Bahro M, Silber E, Sunderland T. How do patients with Alzheimer's disease cope with their illness?—a clinical experience report. *J Am Geriatr Soc* 1995; 43: 41-46. **
- Baldinger SL, Schroeder DJ. Nicotine therapy in patients with alzheimer's disease. *Ann Pharmacother* 1995; 29(3): 314-5.
- Ban TA. Psychopharmacology and successful cerebral aging. *Progr Neuro-Psychopharmacol Biolog Psych* 1995; 19(1): 1-9. **
- Banazak DA. Difficult dementia: six steps to control problem behaviors. *Geriatrics* 1996; 51(2): 36-42. **
- Barry PP, Moskowitz MA. The diagnosis of reversible dementia in the elderly: a critical review. *Arch Intern Med* 1988; 148: 1914-1918.
- Benson C, Lusardi P. Neurologic antecedents to patient falls. *J Neurosci Nurs* 1995; 27(6): 331-7. **
- Bergethon PR, Sabin TD. The P300 and vascular dementia: not quite ready for prime time. *J Am Geriatr Soc* 1995; 43(11): 1311-3.
- Bliwise DL. Is sleep apnea a cause of reversible dementia in old age. *J Amer Geriatr Soc* 1996; 44(11): 1407-9.
- Burney-Puckett M. Sundown syndrome: etiology and management. *J Psychosocial Nurs Mental Health Serv* 1996; 34(5): 40-3. **
- Cohen D. Dementia, depression, and nutritional status. *Prim Care Clin Office Pract* 1994; 21(1): 107-19. **
- Cohen-Mansfield J et al. Staging methods for the assessment of dementia: Perspectives. *J Clin Psychiatry* 1996; 57(5): 190-8. **
- Corey-Bloom J, Galasko D. Adjunctive therapy in patients with Alzheimer's disease. a practical approach. *Drugs Aging* 1995; 7(2): 79-87. **
- Cuttillo-Schmitter TA. Managing ambiguous loss in dementia and terminal illness. *J Gerontol Nurs* 1996; 22(5): 32-9. **

Literature Citations

- Devanand DP, Levy SR. Neuroleptic treatment of agitation and psychosis in dementia. *J Geriatr Psychiatr Neurol* 1995; 8(Suppl 1): S18-27.
- Eimer M. Considerations in the pharmacologic management of dementia-related behavioral symptoms. *Consult Pharm* 1992; 7(9): 921-933. **
- Emard JF, Thouez JP, Gauvreau D. Neurodegenerative diseases and risk factors: a literature review. *Soc Sci Med* 1995; 40(6): 847-58. **
- Erwin GW et al. Dementia of the alzheimer type. *Consult Pharm* 1986; 1(3): 210-214. **
- Farlow M et al. A controlled trial of tacrine in Alzheimer's disease. *JAMA* 1992; 268: 2523-2528. **
- Filley Cm. Alzheimer's disease: it's irreversible but not untreatable. *Geriatrics* 1995; 50(7): 18-23.
- Gardner ME. Treatment of depression in patients with senile dementia of the alzheimer's type. *Consult Pharm* 1992; 7(7): 739-741. **
- Garzone PD. Alzheimer's disease and other dementias. *Pharm Times* 1990; Jan: 108-119.
- Goldman LS, Lazarus LW. Assessment and management of dementia in the nursing home. *Clin Geriatr Med* 1988; 4: 589+.
- Grobe-Einsler R. Clinical aspects of nimodipine. *Clin Neuropharmacol* 1993; 16(Suppl 1): S39-45. **
- Gugel RN. Behavioral approaches for managing patients with alzheimer's disease and related disorders. *Med Clin North Am* 1994; 78(4): 861-7.
- Henry RR, Edelman SV. Advances in treatment of type II diabetes mellitus in the elderly. *Geriatrics* 1992; 47: 24-30.
- Higbee MD. Noncholinergic approaches to treating senile dementia of the alzheimer's type. *Consult Pharm* 1992; 7(6): 635-641. **
- Hooper C. Encircling a mechanism In alzheimer's disease. *Consult Pharm* 1993; 8(4): 356-368. **
- Horowitz GR. What is a complete work-up for dementia. *Clin Geriatr Med* 1988; 4(1): 163-80.
- Jackson LD. The role of medications in treating the behavioural disturbances of dementia sufferers. *Perspectives* 1995; 19(3): 9-22.

Literature Citations

- Jarrett PG, Rockwood K, Mallery L. Behavioral problems in nursing home residents. safe ways to manage dementia. *Postgrad Med* 1995; 97(5): 189-91, 195-6. **
- Johnson JC. Depression and dementia in the elderly: a primary care perspective. *Comprehen Ther* 1996; 22(5): 280-5.
- Jones BN, Reifler BV. Depression coexisting with dementia. evaluation and treatment. *Med Clin North Am* 1994; 78(4): 823-40. **
- Keefover RW. The clinical epidemiology of alzheimer's disease. *Neurolog Clin* 1996; 14(2): 337-51.
- Knesper DJ. The depressions of Alzheimer's disease: sorting, pharmacotherapy, and clinical advice. *J Geriatr Psychiatry Neurol* 1995; 8(Suppl 1): S40-51. **
- Kunik ME, Yudofsky SC, Silver JM, Hales RE. Pharmacologic approach to management of agitation associated with dementia. *J Clin Psychiatry* 1994; 55 Suppl: 13-7.
- Larrat EP. Outcomes management of senile dementia of the alzheimer's type. *Consult Pharm* 1992; 7(Suppl A): 9-18. **
- Larrat PE et al. Alternative care of alzheimer residents in long-term care facilities: effects on drug use. *Consult Pharm* 1989; March: 149-153. **
- Mace NL, Rabins PV. *The 36-hour Day*. Baltimore: The Johns Hopkins University Press, 1981.
- Maletta GL. Pharmacologic treatment and management of the aggressive demented patient. *Psychiatric Ann* 1990; 20: 446-55.
- McLean S. Is it dementia. *Austral Fam Physician* 1992; 21(12): 1762-8, 1772-4. **
- Miller SW, Mahoney JM, Jann MW. Therapeutic frontiers in Alzheimer's disease. *Pharmacotherapy* 1992; 12: 217-231.
- Mintzer JE, Brawman-Mintzer O. Agitation as a possible expression of generalized anxiety disorder in demented elderly patients: toward a treatment approach. *J Clin Psychiatry* 1996; 57(Suppl 7): 55-63. **
- Mohs RC, Breitner JCS, Silverman JM. Alzheimer's Disease. *Arch Gen Psychiatry* 1987; 44: 405-408.
- Muller-Spahn F, Hock C. Clinical presentation of depression in the elderly. *Gerontology* 1994; 40(Suppl 1): 10-4. **

Literature Citations

- Octave JN. The amyloid peptide and its precursor in alzheimer's disease. *Rev Neurosci* 1995; 6(4): 287-316.
- Odenheimer GL. Acquired cognitive disorders of the elderly. *Med Clin North Am* 1989; 73: 1383-1411.
- Odenheimer GL. Management of patients with Alzheimer's disease. *Pharmacotherapy* 1991; 11: 237-241.
- Oken RJ, McGeer PL. Schizophrenia, alzheimer's disease, and anti-inflammatory agents. *Schizophr Bullet* 1996; 22(1): 1-4.
- Parnetti L. Clinical pharmacokinetics of drugs for alzheimer's disease. *Clin Pharmacokin* 1995; 29(2): 110-29.
- Patel SV. Pharmaotherapy of cognitive impairment in alzheimer's disease: a review. *J Geriatr Psychiatr Neurol* 1995; 8(2): 81-95.
- Pliskin NH et al. Charles Bonnet syndrome: an early marker for dementia. *J Am Geriatr Soc* 1996; 44(9): 1055-61. **
- Powell L. Alzheimer's disease: a guide for the family. Reading, MA: Addison-Wesley Publishing Co., 1983.
- Skelly J, Flint AJ. Urinary incontinence associated with dementia . *J Am Geriatr Soc* 1995; 43(3): 286-94. **
- Smith DA, Perry PJ. Nonneuroleptic treatment of disruptive behavior in organic mental syndromes. *Ann Pharmacotherapy* 1992; 26: 1400-8.
- Stewart RB, Hale WE. Acute confusional states in older adults and the role of polypharmacy. *Ann Rev Public Health* 1992; 13: 415-30. **
- Streim JE, Katz IR. Federal regulations and the care of patients with dementia in the nursing home. *Med Clin North Am* 1994; 78(4): 895-909.
- Sunderland T. Treatment of the elderly suffering from psychosis and dementia. *J Clin Psychiatry* 1996; 57(Suppl 9): 53-6. **
- Theesen KA et al. Dementia of the alzheimer's type: an update. *Consult Pharm* 1990; 5(9): 535-540. **

Literature Citations

Theesen KA et al. Clinical use of the functional assessment staging criteria for dementia of the alzheimer's type. *Consult Pharm* 1990; 5(9): 574. **

Tombaugh TN, McIntyre NJ. The mini-mental state examination: a comprehensive review. *J Am Geriatr Soc* 1992; 40: 922-935. **

Van Duijn CM. Epidemiology of the dementias: recent developments and new approaches. *J Neurol Neurosurg Psychiatry* 1996; 60(5): 478-88.

Volger BW. Alternatives in the treatment of memory loss in patients with Alzheimer's disease. *Clin Pharm* 1991; 10: 447-456.

Winker MA. Tacrine for Alzheimer's disease: which patient, what dose. *JAMA* 1994; 271: 1023-1024. **

Literature Citations

- Agrell B, Dehlin O. Depression in stroke patients with left and right hemisphere lesions. a study in geriatric rehabilitation in-patients. *Aging* 1994; 6(1): 49-56. **
- Anon. No causal link between beta blockers and depression. *Consult Pharm* 1992; 7(7): 749. **
- Baldwin RC. Antidepressants in geriatric depression: what difference have they made?. *Internat Psychogeriatr* 1995; 7 Suppl: 55-68. **
- Beazer D. Depression in the elderly. *N Engl J Med* 1989; 320: 164-166.
- Beck DA, Koenig HG. Minor depression: a review of the literature. *Internat J Psychiatr Med* 1996; 26(2): 177-209. **
- Bressler R, Katz MD. Drug therapy for geriatric depression. *Drugs Aging* 1993; 3(3): 195-219. **
- Brodaty H. Think of depression—atypical presentations in the elderly. *Austral Fam Physician* 1993; 22(7): 1195-203. **
- Burke MJ. Choosing and using antidepressant therapy: a physician's perspective. *Consult Pharm* 1993; 8(Suppl A): 7-16.
- Casey DA. Depression in the elderly. *South Med J* 1994; 87(5): 559-63. **
- Christensen DD. Rational antidepressant selection in the elderly. *Geriatrics* 1995; 50(Suppl 1): S41-50. **
- Cohen D. Dementia, depression, and nutritional status. *Prim Care Clin Office Pract* 1994; 21(1): 107-19. **
- Cohen LJ. Principles to optimize drug treatment in the depressed elderly: practical pharmacokinetics and drug interactions. *Geriatrics* 1995; 50(Suppl 1): s32-40.
- Daiello L. Optimizing antidepressant therapy: the role of the consultant pharmacist. *Consult Pharm* 1993; 8(Suppl A): 29-36.
- Elliot DP et al. Screening skilled-nursing facility residents for depression. *Consult Pharm* 1994; 9(11): 1322-1328. **
- Emptage RE, Semla TP. Depression in the medically ill elderly: a focus on methylphenidate. *Ann Pharmacother* 1996; 30(2): 151-7. **

Literature Citations

- Erwin GW. Pharmacotherapy of depression in the elderly: clinical considerations. *Consult Pharm* 1993; 8(Suppl A): 17-28.
- Finkel SI. Efficacy and tolerability of antidepressant therapy in the old-old. *J Clin Psychiatry* 1996; 57(Suppl 5): 23-8. **
- Fish D. Selecting an appropriate antidepressant. *Practitioner* 1996; 240(1562): 321-5.
- Gardner ME. Treatment of depression in patients with senile dementia of the alzheimer's type. *Consult Pharm* 1992; 7(7): 739-741. **
- Glassman AH, Roose SP. Risks of antidepressants in the elderly: tricyclic antidepressants and arrhythmia-revising risks. *Gerontol* 1994; 40(Suppl 1): 15-20. **
- Gottfries CG. Scandinavian experience with citalopram in the elderly. *Internat Clin Psychopharmacol* 1996; 11(Suppl 1): 41-4. **
- Greenblatt DJ, Shader RI, Harmatz JS. Implications of altered drug disposition in the elderly: studies of benzodiazepines. *J Clin Pharmacol* 1989; 29(10): 866-72.
- Gustafson Y et al. Epidemiology and treatment of post-stroke depression. *Drugs Aging* 1995; 7(4): 298-309. **
- Haria M, Fitton A, McTavish D. Trazodone. a review of its pharmacology, therapeutic use in depression and therapeutic potential in other disorders. *Drugs Aging* 1994; 4(4): 331-55. **
- Heston LL et al. Inadequate treatment of depressed nursing home elderly. *J Am Geriatr Soc* 1992; 40: 1117-1122. **
- Hilton S, Jaber B, Ruch R. Moclobemide safety: monitoring a newly developed product in the 1990s. *J Clin Psychopharmacol* 1995; 15(Suppl 2): 76S-83S. **
- Holliday SM, Plosker GL. Paroxetine. a review of its pharmacology, therapeutic use in depression and therapeutic potential in diabetic neuropathy. *Drugs Aging* 1993; 3(3): 278-99. **
- Jefferson JW. Cardiovascular effects and toxicity of anxiolytics and antidepressants. *J Clin Psychiatry* 1989; 50: 368-78.
- Johnson JC. Depression and dementia in the elderly: a primary care perspective. *Comprehen Ther* 1996; 22(5): 280-5.

Literature Citations

Jones BN, Reifler BV. Depression coexisting with dementia. evaluation and treatment. *Med Clin North Am* 1994; 78(4): 823-40. **

Kaldy J. New information supports antidepressant use. *Consult Pharm* 1994; 9(1): 120-117. **

Kamholz BA, Mellow AM. Management of treatment resistance in the depressed geriatric patient. *Psychiatr Clin North Am* 1996; 19(2): 269-86. **

Katona C. Rationalizing antidepressants for elderly people. *Internat Clin Psychopharmacol* 1995; 10(Suppl 1): 37-40. **

Katz IR et al. Use of antidepressants in the frail elderly: when, why, and how. *Clin Geriatr Med* 1988; 4(1): 203-22.

Knegtering H, Eijck M, Huijsman A. Effects of antidepressants on cognitive functioning of elderly patients. a review. *Drugs Aging* 1994; 5(3): 192-9. **

Lichtenberg PA, Ross T, Millis SR, Manning CA. The relationship between depression and cognition in older adults: a cross-validation study. *J Gerontol B Psychol Sci Soc Sci* 1995; 50(1): P25-P32. **

Martin LM, Fleming KC, Evans JM. Recognition and management of anxiety and depression in elderly patients. *Mayo Clin Proc* 1995; 70(10): 999-1006. **

Meyers BS. Late-life delusional depression: acute and long-term treatment. *Internat Psychogeriatr* 1995; 7 Suppl: 113-24. **

Monfort JC. The difficult elderly patient: curable hostile depression or personality disorder?. *Internat Psychogeriatr* 1995; 7(Suppl): 95-111. **

Muldoon C. The safety and tolerability of citalopram. *Internat Clin Psychopharmacol* 1996; 11(Suppl 1): 35-40. **

Muller-Spahn F, Hock C. Clinical presentation of depression in the elderly. *Gerontology* 1994; 40(Suppl 1): 10-4. **

Nemeroff CB. The clinical pharmacology and use of paroxetine, a new selective serotonin reuptake inhibitor. *Pharmacother* 1994; 14(2): 127-38. **

Nemeroff CB. Evolutionary trends in the pharmacotherapeutic management of depression. *J Clin Psychiatry* 1994; 55 Suppl: 3-15.

Literature Citations

Oxman TE. Antidepressants and cognitive impairment in the elderly. *J Clin Psychiatry* 1996; 57(Suppl 5): 38-44. **

Pollack MH, Rosenbaum JF. Management of antidepressant-induced side effects: a practical guide for the clinician. *J Clin Psychiatry* 1987; 48: 3-8.

Rockwell E, Lam RW, Zisook S. Antidepressant drug studies in the elderly. *Psychiatr Clin North Am* 1988; 11(1): 215-33.

Rosenzweig AS et al. Bereavement-related depression in the elderly. Is drug treatment justified. *Drugs Aging* 1996; 8(5): 323-8.

Rothschild AJ. The diagnosis and treatment of late-life depression. *J Clin Psychiatry* 1996; 57(Suppl 5): 5-11. **

Salzman C. Antidepressants. *Clin Geriatr Med* 1990; 6(2): 399-410.

Salzman C. Pharmacologic treatment of depression in the elderly. *J Clin Psychiatry* 1993; 54(Suppl): 23-8. **

Schneider LS, Olin JT. Efficacy of acute treatment for geriatric depression. *Internat Psychogeriatr* 1995; 7 Suppl: 7-25. **

Sharma H, Pompei P. Antidepressant-induced hyponatremia in the aged. Avoidance and management strategies. *Drugs Aging* 1996; 8(6): 430-5. **

Simonson W. Panel discussion/depression in the elderly: questions and answers. *Consult Pharm* 1993; 8(Suppl A): 37-40.

Simonson W. Depression in the elderly: growing recognition of an age-old problem. *Consult Pharm* 1993; 8(Suppl A): 4-6.

Slater SL, Katz IR. Prevalence of depression in the aged: formal calculations versus clinical facts. *J Am Geriatr Soc* 1995; 43(1): 78-9.

Smith M, Buckwalter KC. Medication management, antidepressant drugs, and the elderly: an overview. *J Psychosoc Nurs Ment Health Serv* 1992; 30(10): 30-6.

Stevens-Ratchford RG. The effect of life review reminiscence activities on depression and self-esteem in older adults. *Amer J Occupat Ther* 1993; 47(5): 413-20. **

Literature Citations

Stoudemire A, Atkinson P. Use of cyclic antidepressants in patients with cardiac conduction disturbances. *Gen Hosp Psychiatr* 1988; 10: 389-97.

Supernaw RB. Measuring therapeutic responses in depressed patients. *Consult Pharm* 1987; 2(5): 426-428. **

Tannock C, Katona C. Minor depression in the aged. concepts, prevalence and optimal management. *Drugs Aging* 1995; 6(4): 278-92. **

Vogel CH. Assessment and approach to treatment in post-stroke depression. *J Amer Acad Nurs Practition* 1995; 7(10): 493-7. **

Weiss KJ. Management of anxiety and depression syndromes in the elderly. *J Clin Psychiatry* 1994; 55(Suppl): 5-12. **

Wood KA, Harris MF, Morreale A, Rizos AL. Drug-induced psychosis and depression in the elderly. *Psychiatr Clin North Am* 1988; 11(1): 167-93.

Zisook S. Depression in late life. special considerations in treatment. *Postgrad Med* 1996; 100(4): 161-2, 165-7, 171-2. **

Zisook S. Depression in late life. diagnosis, course, and consequences. *Postgrad Med* 1996; 100(4): 143-8, 150, 156. **

Literature Citations

Black JR, Truitt CA. Skin disorders of the lower extremity in adults as reported in the current literature. *Clin Podiatr Med Surg* 1996; 13(1): 109-17. **

Brenner S, Politi Y. Dermatologic diseases and problems of women throughout the life cycle. *Internat J Dermatol* 1995; 34(6): 369-79.

Federman D et al. A comparison of diagnosis, evaluation, and treatment of patients with dermatologic disorders. *J Am Acad Dermatol* 1995; 32(Pt 1): 726-9. **

Frank W, Rogers GS. Skin growths in the aged. treatment considerations. *Drugs Aging* 1994; 3: 194-206. **

Gilden DH et al. Varicella-zoster virus reactivation without rash. *J Infect Dis* 1992 ; 166(Suppl 1): S30-4. **

Jeter KF, Lutz JB. Skin care in the frail, elderly, dependent, incontinent patient. *Adv Wound Care* 1996; 9(1): 29-34. **

Kelechi T. Foot care in the home: nursing and agency responsibilities. *Home Healthc Nurs* 1996; 9: 721-31. **

Lertzman BH, Gaspari AA. Drug treatment of skin and soft tissue infections in elderly long-term care residents. *Drugs Aging* 1996; 9(2): 109-21.

Mattila JO, Katila ML, Vornanen M. Slowly growing mycobacteria and chronic skin disorders. *Clin Infect Dis* 1996; 23(5): 1043-8. **

Nolen T. Comparative studies of cefprozil in the management of skin and soft-tissue infections. *Euro J Clin Microbiol Infect Dis* 1994; 13(10): 866-71.

Literature Citations

Brown DF, Jackson TW. Diabetes: 'tight control' in a comprehensive treatment plan. *Geriatrics* 1994; 49(6): 24-9, 33-6.

Clark CM, Lee DA. Prevention and treatment of the complications of diabetes mellitus. *N Engl J Med* 1995; 332: 1210-1217. **

Dornan T. Diabetes in the elderly: epidemiology. *J Royal Soc Med* 1994; 87(10): 609-12.

Dunne FP et al. Hormone replacement therapy and diabetes mellitus. *Clin Endocrinol* 1996; 44(6): 615-20.

Flavin K et al. Current issues in type II diabetes mellitus: role of the pharmacist in diabetes education. *Consult Pharm* 1987; 2(6): 483-487. **

Fonseca V, Wall J. Diet and diabetes in the elderly. *Clin Geriatr Med* 1995; 11(4): 613-24. **

Frank KJ, Dieckert JP. Diabetic eye disease: a primary care perspective. *South Med J* 1996; 89(5): 463-70. **

Franz MJ et al. Nutrition principles for the management of diabetes and related complications. *Diabet Care* 1994; 17(5): 490-518.

Gerbino PP et al. Pyelonephritis/prostatitis and diabetes in the elderly patient: case history and discussion. *Consult Pharm* 1987; 2(Suppl A): 22-24. **

Heins J et al. Current issues in type II diabetes mellitus: nonpharmacologic management. *Consult Pharm* 1987; 2(5): 418-422. **

Holzmeister LA. Diabetes nutrition therapy in homecare. *Home Healthc Nurs* 1996; 14(3): 179-84. **

Mooradian A. Diabetes in the elderly: studies dispel common misconceptions. *Cleve Clin J Med* 1996; 63(1): 5-7.

Morely JE, Mooradian AD, Rosenthal MJ et al. Diabetes mellitus in elderly patients; is it different. *Am J Med* 1987; 83: 533-44.

Nathan DM. Insulin treatment in the elderly diabetic patient. *Clin Ger Med* 1990; 6: 923-32.

Singh I, Marshall MC Jr. Diabetes mellitus in the elderly. *Endocrinol Metabol Clin North Amer* 1995 ; 24(2): 255-72. **

Literature Citations

Small RE et al. Evaluation of videotape teaching of self-monitoring of blood glucose by elderly diabetic patients. *Consult Pharm* 1992; 7(1): 24-27. **

Sowers JR, Epstein M. Diabetes mellitus and associated hypertension, vascular disease, and nephropathy. An update. *Hypertension* 1995; 26 (Pt 1): 869-79. **

Spearmon JAM. Blood glucose monitoring. *Consult Pharm* 1994; 9(2): 221. **

Stolk RP, Orchard TJ, Grobbee DE. Why use the oral glucose tolerance test. *Diabet Care* 1995; 18(7): 1045-9.

Vokonas PS, Kannel WB. Diabetes mellitus and coronary heart disease in the elderly. *Clin Geriatr Med* 1996; 12(1): 69-78. **

Literature Citations

- Adamcik BA, Rhodes RS. The pharmacist's role in rational drug therapy of the aged. *Drugs Aging* 1993; 3(6): 481-486.
- Adelman AM, Daly MP, Michocki RJ. Alternate drugs. *Clin Geriatr Med* 1990; 6(2): 423-44.
- Anderson RJ, Miller SW. Geriatric drug therapy. In: Herfindel ET, Gourley DR, Hart LL, eds. *Clinical Pharmacy and Therapeutics*, 5th ed. Baltimore: Williams & Wilkins, 1992, 1489-1507.
- Annesley TM. Special considerations for geriatric therapeutic drug monitoring. *Clin Chem* 1989; 35 (7): 1337-41.
- Avorn J, Gurwitz JH. Drug use in the nursing home. *Ann Intern Med* 1995; 123: 195-204. **
- Beers MH, Dang J, Hasegawa J. Influence of hospitalization on drug therapy in the elderly. *J Am Geriatr Soc* 1989; 37: 679-683.
- Bulpitt CJ, Fletcher AE. Drug treatment and quality of life in the elderly. *Clin Geriatr Med* 1990; 6(2): 309-318.
- Campion EW, Avorn J, Reder VA, Olina NJ. Overmedication of the low-weight elderly. *Arch Intern Med* 1987; 147: 945-947.
- Chutka DS, Evans JM, Fleming KC, Mikkelsen KG. Symposium on geriatrics—part I: drug prescribing for elderly patients. *Mayo Clin Proc* 1995; 70(7): 685-93.
- Colley CA, Lucas LM. Polypharmacy: the cure becomes the disease. *J Gen Intern Med* 1993; 8(5): 278-83. **
- Courtney DL. Medication reduction strategies. *Comprehen Ther* 1996; 22(5): 318-23.
- Delafuente JC. Perspectives on geriatric pharmacotherapy. *Pharmacotherapy* 1991; 11(3): 222-4.
- Delafuente JC et al. Drug use among functionally active, aged, ambulatory people. *Ann Pharm* 1992; 26(2): 179-83.
- DeMaagd G. High-risk drugs in the elderly population. *Geriatr Nurs* 1995; 16(5): 198-207. **
- Feinberg JL. Drug therapy assessment: recognition of potential side effects. *Consult Pharm* 1991; 6(10): 763-764. **
- Feinberg JL. Improving knowledge about appropriate use of drugs in the elderly. *Consult Pharm* 1992; 7(10): 987-989+. **

Literature Citations

Fletcher AP. Approaching a century and after: morbidity and potentially drug induced disease. *Adv Drug React Toxicol Rev* 1995; 14(1): 45-64.

Fujita Y. Avoidance of drug therapy in the elderly. exercise as a preventative prescription. *Drugs Aging* 1995; 6(1): 1-8.

Gleason MS. Pharmacologic issues in aging. *Crit Care Nurs Quart* 1996; 19(2): 7-12. **

Gurwitz JH, Soumerai SB, Avorn J. Improving medication prescribing and utilization in the nursing home. *J Am Geriatr Soc* 1990; 38: 542-552. **

Hanlon JT et al. A method for assessing drug therapy appropriateness. *J Clin Epidemiol* 1992; 45(10): 1045-51.

Haydon-Greatting S et al. Obtaining an accurate drug allergy history. *Consult Pharm* 1989; Nov: 674, 670. **

Kelly M. Medications and the visually impaired elderly. *Geriatr Nurs* 1996; 17(2): 60-2.

Lamy PP. Institutionalisation and drug use in older adults in the US. *Drugs Aging* 1993; 3(3): 232-7. **

Loughran S. Medication use in the elderly: a population at risk. *Med Surg Nurs* 1996; 5(2): 121-4.

Miller SW et al. Drug-product selection: implications for the geriatric patient. *Consult Pharm* 1990; 5(1): 30-37. **

Montamat SC, Cusack BJ, Vestal RE. Management of drug therapy in the elderly. *N Engl J Med* 1989 Aug.; 3:321(5): 303-9.

Nielson C. Pharmacologic considerations in critical care of the elderly. *Clin Geriatr Med* 1994; 10(1): 71-89. **

Nolan L, O'Malley K. Prescribing for the elderly. *J Am Geriatr Soc* 1988; 36: 142-149.

O'Malley K. Geriatric clinical pharmacology. *Clin Geriatr Med* 1990; 6(2): 229-34.

Obenchain LA. Effectiveness of drug-regimen review in eliminating unnecessary drugs. *Consult Pharm* 1991; 6(10): 845-847. **

Literature Citations

Owens NJ, Fretwell MD, Willey C, Murphy SS. Distinguishing between the fit and frail elderly, and optimizing pharmacotherapy. *Drugs Aging* 1994; 4(1): 47-55. **

Parker BM, Cusack BJ, Vestal RE. Pharmacokinetic optimization of drug therapy in elderly patients. *Drugs Aging* 1995; 7: 10-18.

Pulliam CC, Hanlon JT, Moore SR. Contemporary issues in geriatric drug therapy. *J Geriatr Drug Ther* 1989; 4: 43-86. **

Rho JP, Yoshikawa TT. The cost of inappropriate use of anti-infective agents in older patients. *Drugs Aging* 1995; 6(4): 263-7.

Rochon PA, Gurwitz JH. Drug therapy. *Lancet* 1995; 346(8966): 32-6. **

Schack D. Weekly clonidine skin patch: importance of visually monitoring and educating for correct application. *Consult Pharm* 1992; 7(3): 301. **

Schmader K et al. Appropriateness of medication prescribing in ambulatory elderly patients. *J Am Geriatr Soc* 1994; 42: 1241-1247. **

Smith CL, Hampton EM. Using estimated creatinine clearance for individualizing drug therapy: a reassessment. *Ann Pharmacother* 1990; 24: 1185.

Stewart RB et al. Changing patterns of therapeutic agents in the elderly: a ten-year overview. *Age & Aging* 1991; 20(3): 182-8.

Stockton P, Jones JK. Medication use by the elderly. *Aging* 1993; 5(5): 337-47. **

Warren JW, Palumbo FB, Fitterman L, Speedie SM. Incidence and characteristics of antibiotic use in aged nursing home patients. *J Am Geriatr Soc* 1991; 39(10): 963-72.

Weintraub M. Compliance in the elderly. *Clin Geriatr Med* 1990 ; 6(2): 445-52.

Williams L, Lowenthal DT. Drug therapy in the elderly. *South Med J* 1992 ; 85(2): 127-31.

Zaleon CR, Guthrie SK. Antipsychotic drug use in older adults. *Am J Hosp Pharm* 1994; 51: 2917-2941. **

Zuckerman IH et al. Drug therapy in the elderly patient—1986. *Consult Pharm* 1986; 1(3): 191-195. **

Literature Citations

- Baltz J, Wilson JL. Age-based limitation for ICU care: is it ethical. *Crit Care Nurs* 1995; 15(6): 65-73. **
- Bandman EL. Tough calls: making ethical decisions in the care of older patients. *Geriatrics* 1994; 49(12): 46-51. **
- Bedolla MA. The principles of medical ethics and their application to Mexican-American elderly patients. *Clin Geriatr Med* 1995; 11(1): 131-7. **
- Caralis PV. Ethical and legal issues in the care of Alzheimer's patients. *Med Clin North Am* 1994; 78(4): 877-93. **
- Cattorini P, Marchionni N. Clinical decision-making and the "treat or not to treat" dilemma in geriatrics: ethical implications. *Aging* 1994; 6(6): 391-8.
- Chadwick R, Levitt M. When drug treatment in the elderly is not cost effective. an ethical dilemma in an environment of healthcare rationing. *Drugs Aging* 1995; 7(6): 416-9. **
- Darnton-Hill I. Healthy aging and the quality of life. *World Health Forum* 1995; 16(4): 335+. **
- Dula A. The life and death of Miss Mildred. an elderly black woman. *Clin Geriatr Med* 1994; 10(3): 419-30. **
- Ethells E, Sharpe G, Walsh P, Williams JR, Singer PA. Bioethics for clinicians: 1. Consent. *Can Med Assoc J* 1996; 155(2): 177-80. **
- Faden R, German PS. Quality of life. considerations in geriatrics. *Clin Geriatr Med* 1994; 10(3): 541-51. **
- Faden R, German PS. Quality of life. considerations in geriatrics. *Clin Geriatr Med* 1994; 10(3): 541-51.
- Feinberg JL. The patient self-determination act: an education and information mandate on the use of advance directives. *Consult Pharm* 1992; 7(8): 797-803. **
- Fletcher AE, Dickinson EJ, Philip I. Review: audit measure: quality of life instruments for everyday use with elderly patients. *Age Aging* 1992; 21(2): 142-50.
- Goldstein MK, Fuller JD. Intensity of treatment in malnutrition. The ethical considerations. *Prim Care Clin Office Pract* 1994; 21(1): 191-206. **

Literature Citations

Gore MJ. Enhancing elderly life: programs provide quality for long life. *Consult Pharm* 1992; 7(6): 609-612. **

Gore MJ. Ethics: most people favor right to die. *Consult Pharm* 1993; 8(11): 1289-1290. **

Gore MJ. Living by numbers: why quality of life is such a sought-after statistic. *Consult Pharm* 1994; 9(5): 531-542. **

Hayley DC, Cassel CK, Snyder L, Rudberg MA. Ethical and legal issues in nursing home care. *Arch Intern Med* 1996; 156(3): 249-56. **

Hodges MO, Tolle SW. Tube-feeding decisions in the elderly. *Clin Geriatr Med* 1994; 10(3): 475-88. **

Hoffman N. Ethical considerations and quality of life. *Cardiovasc Clin* 1992; 22(2): 243-51.

Iris MA. The ethics of decision making for the critically ill elderly. *Cambridge Quart Healthc Eth* 1995; 4(2): 135-41.

Jecker NS. Managed competition and managed care. What are the ethical issues?. *Clin Geriatr Med* 1994; 10(3): 527-40. **

Kane RA. Ethics and long-term care. everyday considerations. *Clin Geriatr Med* 1994; 10(3): 489-99. **

Kapp MB. Ethical aspects of guardianship. *Clin Geriatr Med* 1994; 10(3): 501-12. **

Knight JA. Ethics of care in caring for the elderly. *South Med J* 1994; 87(9): 909-17. **

Kowalski SD. Assisted suicide: is there a future? ethical and nursing considerations. *Crit Care Nurs Quart* 1996; 19(1): 45-54. **

Lachman BG. Ethical issues in home health care. *Consult Pharm* 1988; Jan/Feb: 32, 40-45. **

Laffey J. Bioethical principles and care-based ethics in medical futility. *Cancer Pract* 1996; 4(1): 41-6. **

Levine J. Life-sustaining treatment: refusing it, withdrawing it, withholding it, maintaining it. *Consult Pharm* 1988; May/June: 209+. **

Mahowald MB. So many ways to think. an overview of approaches to ethical issues in geriatrics. *Clin Geriatr Med* 1994; 10(3): 403-18. **

Literature Citations

- Manolakis ML. Ethical principles and the consultant pharmacist. *Consult Pharm* 1988; May/June: 205, 207. **
- Morgan D. Respect for autonomy: is it always paramount. *Nurs Ethics* 1996; 3(2): 118-25. **
- Moss AH. Dialysis decisions and the elderly. *Clin Geriatr Med* 1994; 10(3): 463-73. **
- Mouton CP, Johnson MS, Cole DR. Ethical considerations with African-American elders. *Clin Geriatr Med* 1995; 11(1): 113-29. **
- Ouslander JG, Schnelle JF. Research in nursing homes: practical aspects. *J Am Geriatr Soc* 1993; 41: 182-187.
- Robinson R. Individualization of drug therapy: considering ethnic differences. *Consult Pharm* 1990; 5(6): 328-334. **
- Sachs GA, Rhymes J, Cassel CK. Biomedical and behavioral research in nursing homes: guidelines for ethical investigations. *J Am Geriatr Soc* 1993; 41: 771-777. **
- Schechter WP. Withdrawing and withholding life support in geriatric surgical patients. ethical considerations. *Surg Clin North Am* 1994; 74(2): 245-59. **
- Schommer JC. Long-term care facility resident rights: an elderly population's perspective. *Consult Pharm* 1991; 6(5): 406-410. **
- Stewart K. Discussing cardiopulmonary resuscitation with patients and relatives. *Postgrad Med J* 1995; 71(840): 585-9. **
- Taniguchi G. Ethical considerations in drug-regimen review. *Consult Pharm* 1992; 7(10): 1100-1102. **
- Tobe SW, Senn JS. Foregoing renal dialysis: a case study and review of ethical issues. The End-Stage Renal Disease Group. *Amer J Kidney Dis* 1996; 28(1): 147-53. **
- Yeo G. Ethical considerations in Asian and Pacific Island elders. *Clin Geriatr Med* 1995; 11(1): 139-52. **

Literature Citations

- Baloh RW. Dizziness in older people. *J Am Geriatr Soc* 1992; 40: 713-21.
- Benson C, Lusardi P. Neurologic antecedents to patient falls. *J Neurosci Nurs* 1995; 27(6): 331-7. **
- Boonen S, Aerssens J, Dequeker J. Age-related endocrine deficiencies and fractures of the proximal femur. implications of growth hormone deficiency in the elderly. *J Endocrinol* 1996; 149(1): 7-12. **
- Brungardt GS. Patient restraints: new guidelines for a less restrictive approach. *Geriatrics* 1994; 49(6): 43-4, 47-50. **
- Campbell AJ, Robertson MC, Gardner MM. Elderly people who fall: identifying and managing the causes. *Brit J Hosp Med* 1995; 54(10): 520-3. **
- Cauley JA, Cummings SR, Seeley DG et al. Effects of thiazide diuretics on bone mass, fracture and falls. *Ann Intern Med* 1993; 118: 666-73.
- Connell BR. Role of the environment in falls prevention. *Clin Geriatr Med* 1996; 12(4): 859-80. **
- Craik RL. Disability following hip fracture. *Phys Ther* 1994; 74(5): 387-98. **
- Cumming RG et al. Medications and multiple falls in elderly people: the st. louis oasis study. *Age Aging* 1991; 20(6): 455-61.
- Cummings SR. Treatable and untreatable risk factors for hip fracture. *Bone* 1996; 18(Suppl 3): 165S-167S. **
- Cutson TM. Falls in the elderly. *Am Fam Physician* 1994; 49(1): 149-56. **
- Falbe WJ. Falls in the elderly. *US Pharm* 1990; 15(4): 49-62.
- Hayes WC et al. Etiology and prevention of age-related hip fractures. *Bone* 1996; 18(Suppl 1): 77S-86S. **
- Kannus P et al. Epidemiology of hip fractures. *Bone* 1996; 18(Suppl 1): 57S-63S. **
- King MB, Tinetti ME. A multifactorial approach to reducing injurious falls. *Clin Geriatr Med* 1996; 12(4): 745-59. **
- King MB, Tinetti ME. Falls in community-dwelling older persons. *J Am Geriatr Soc* 1995; 43(10): 1146-54.

Literature Citations

- Lange M. The challenge of fall prevention in home care: a review of the literature. *Home Healthc Nurs* 1996; 14(3): 198-206. **
- Lauritzen JB. Hip fractures: incidence, risk factors, energy absorption, and prevention. *Bone* 1996; 18(Suppl 1): 65S-75S. **
- Lips P. Prevention of hip fractures: drug therapy. *Bone* 1996; 18(Suppl 3): 159S-163S. **
- Lynch L et al. Antipsychotic agents and potential for patient falls. *Consult Pharm* 1992; 7(11): 1219+. **
- Maki BE, McIlroy WE. Postural control in the older adult. *Clin Geriatr Med* 1996; 12(4): 635-58. **
- Melton LJ 3rd. Epidemiology of hip fractures: implications of the exponential increase with age. *Bone* 1996; 18(Suppl 3): 121S-125S. **
- Meunier PJ et al. Can we stop bone loss and prevent hip fractures in the elderly. *Osteopor Internat* 1994; 4(Suppl 1): 71-6. **
- Monane M, Avorn J. Medications and falls. causation, correlation, and prevention. *Clin Geriatr Med* 1996; 12(4): 847-58. **
- Nevitt MC. Epidemiology of osteoporosis. *Rheum Dis Clin North Amer* 1994; 20(3): 535-59. **
- Province MA et al. The effects of exercise on falls in elderly patients. *JAMA* 1995; 273: 1341-1347. **
- Richardson JK, Ashton-Miller JA. Peripheral neuropathy: an often-overlooked cause of falls in the elderly. *Postgrad Med* 1996; 99(6): 161-72. **
- Rigler SK. Instability in the older adult. *Comprehen Ther* 1996; 22(5): 297-303. **
- Rubenstein LZ, Josephson KR, Osterweil D. Falls and fall prevention in the nursing home. *Clin Geriatr Med* 1996; 12(4): 881-902. **
- Rubenstein LZ, Josephson KR. Falls in the nursing home. *Ann Intern Med* 1994; 121(6): 442-51. **
- Rubin CD. Southwestern Internal Medicine Conference: prevention of hip fractures in the elderly. *Am J Med Sci* 1995; 310(2): 77-85. **
- Studenski S, Rigler SK. Clinical overview of instability in the elderly. *Clin Geriatr Med* 1996; 12(4): 679-88. **

Literature Citations

Thorngren KG. Fractures in older persons. *Disabil Rehab* 1994; 16(3): 119-26. **

Tibbitts GM. Patients who fall: how to predict and prevent injuries. *Geriatrics* 1996; 51(9): 24-8, 31. **

Tideiksaar R. Preventing falls: how to identify risk factors, reduce complications. *Geriatrics* 1996; 51(2): 43-6, 49-50, 53-5. **

Tinetti ME, Speechley M. Prevention of falls among the elderly. *N Engl J Med* 1989; 320: 1055-9.

Trilling JS, Tanvir N. Selections from current literature: falls in the elderly. *Fam Pract* 1995; 12(4): 482-5.

Van Weel C, Vermeulen H, Van den Bosch W. Falls, a community care perspective. *Lancet* 1995; 345(8964): 1549-51.

Wilson EB. Physical restraint of elderly patients in critical care: historical perspectives and new directions. *Critical Care Nurs Clin North Am* 1996; 8(1): 61-70. **

Literature Citations

Bennett RM. Fibromyalgia: the commonest cause of widespread pain. *Comprehen Ther* 1995; 21(6): 269-75. **

Borenstein D. Prevalence and treatment outcome of primary and secondary fibromyalgia in patients with spinal pain. *Spine* 1995; 20(7): 796-800. **

Wolfe F. Fibromyalgia: the clinical syndrome. *Rheum Dis Clin North Am* 1989; 15(1): 1-18. **

Literature Citations

Bader JP, Delchier JC. Clinical efficacy of pantoprazole compared with ranitidine. *Alimentary Pharmacol Ther* 1994; 8(Suppl 1): 47-52. **

Cameron AJ. Epidemiology of Barrett's esophagus. *Gastroenterol Clin Biolog* 1994; 18(1): D3-4.

Garnett WR. Patient-outcome management of gastric acid-related disorders. *Consult Pharm* 1992; 7(Suppl B): 15-26. **

Gonzalez ER et al. National antiulcer therapy surveillance study in long-term care facilities. *Consult Pharm* 1994; 9(10): 1131-1140. **

Lackner TE. Management of gastroesophageal reflux in the elderly. *Consult Pharm* 1992; 7(1): 33-39. **

Morton LS, Fromkes JJ. Gastroesophageal reflux disease: diagnosis and medical therapy. *Geriatrics* 1993; 48(3): 60-6. **

O'Connor TW et al. Substitution of antacid therapy for inappropriate H₂-antagonist therapy in long-term care facilities. *Consult Pharm* 1989; Nov: 643-649. **

Richter JE. Severe reflux esophagitis. *Gastrointest Endoscopy Clin North Am* 1994; 4(4): 677-98. **

Literature Citations

Bongiorno CP. Appropriate prevention and detection of gastrointestinal neoplasms in the elderly. *Clin Geriatr Med* 1988; 4(1): 223-34.

Crotty B, Smallwood RA. Upper gastrointestinal tract . *Med J Austral* 1995; 162(2): 95-7. **

Gonzalez ER et al. National antiulcer therapy surveillance study in long-term care facilities. *Consult Pharm* 1994; 9(10): 1131-1140. **

Hochberg MC. Association of nonsteroidal antiinflammatory drugs with upper gastrointestinal disease: epidemiologic and economic considerations. *J Rheumatol* 1992; 19(Suppl 36): 63-7. **

Knodel LC. Preventing nsaid-induced ulcers: the role of misoprostol. *Consult Pharm* 1989; Jan: 37-41. **

McFadden DW, Zinner MJ. Gastroduodenal disease in the elderly patient. *Surg Clin North Am* 1994; 74(1): 113-26. **

O'Connor TW et al. Substitution of antacid therapy for inappropriate H2-antagonist therapy in long-term care facilities. *Consult Pharm* 1989; Nov: 643-649. **

Pitner JK et al. Prevention of NSAID-induced gastropathy in the elderly. *Consult Pharm* 1994; 9(5): 568-579. **

Pound SE, Heading RC. Diagnosis and treatment of dyspepsia in the elderly. *Drugs Aging* 1995; 7(5): 347-54.

Sherman et al. Cimetidine use in nursing homes: prolonged therapy and excessive doses. *J Am Geriatr Soc* 1987; 35: 1023-1027.

Literature Citations

Bill A. Some aspects of aqueous humour drainage. *Eye* 1993; 7 (Pt 1): 14-9. **

Cooper J. Improving compliance with glaucoma eye-drop treatment. *Nurs Times* 1996; 92(32): 36-7. **

Hayley DC, Cassel CK, Snyder L, Rudberg MA. Ethical and legal issues in nursing home care. *Arch Intern Med* 1996; 156(3): 249-56. **

Johns MD, Ponte CD. Acute pulmonary edema associated with ocular metipranolol use. *Ann Pharmacother* 1995; 29(4): 370-3. **

Kelly JS. Visual impairment among older people. *Brit J Nurs* 1993; 2(2): 110-6.

Longe RL, King L. Drug-use evaluation: antiglaucoma ophthalmic drops. *Consult Pharm* 1993; 8: 31-36. **

O'Donoghue E. Beta blockers and the elderly with glaucoma: are we adding insult to injury?. *Brit J Ophthalmol* 1995; 79(9): 794-6.

Yakabowich MR. Managing glaucoma in the elderly. *Clin Consult* 1994; 13(3): 1-8.

Literature Citations

- Fenton P, Young S, Prutis K. Gout of the spine. two case reports and a review of the literature. *J Bone Joint Surg Amer* Vol 1995; 77(5): 767-71.
- George TM, Mandell B. Individualizing the treatment of gout. *Clev Clin Med J* 1996; 63(3): 150-5. **
- Gonzalez EB, Miller SB, Agudelo CA. Optimal management of gout in older patients. *Drugs Aging* 1994; 4(2): 128-34. **
- Jolobe O. Treating gout in the presence of cardiac failure. *Practitioner* 1994; 238(1539): 489-90.
- Nesher G, Moore TL. Clinical presentation and treatment of arthritis in the aged. *Clin Geriatr Med* 1994; 10(4): 659-75. **
- Terkeltaub RA. Gout and mechanisms of crystal-induced inflammation. *Curr Opin Rheumatol* 1993; 5(4): 510-6. **
- Uy JP, Nuwayhid N, Saadeh C. Unusual presentations of gout. tips for accurate diagnosis. *Postgrad Med* 1996; 100(1): 253-4, 257-60, 266. **
- Weinberger A. Gout, uric acid metabolism, and crystal-induced inflammation. *Curr Opin Rheumatol* 1995; 7(4): 359-63. **

Literature Citations

- Abernathy DR. Altered pharmacodynamics of cardiovascular drugs and their relation to altered pharmacokinetics in elderly patients. *Clin Geriatr Med* 1990; 6(2): 285-92.
- Abrams WB. Cardiovascular drugs in the elderly. *Chest* 1990 ; 98 (4): 980-6.
- Aronow WS. Management of congestive heart failure in the elderly patient. *Comprehen Ther* 1995; 21(7): 329-38. **
- Assey ME. Heart disease in the elderly. *Heart Dis Stroke* 1993; 2(4): 330-4. **
- Baldwin T, Vacek J. Use of cardiovascular drugs in the elderly. what difference does age make?. *Postgrad Med* 1989; 85(5): 319-20, 323-30.
- Byers J, Goshorn J. How to manage diuretic therapy. *Am J Nurs* 1995; 95(2): 38-43; quiz 44. **
- Cleland JG et al. Is aspirin safe for patients with heart failure. *Brit Heart J* 1995; 74(3): 215-9.
- Covinsky JO. Congestive heart failure. *Consult Pharm* 1986; 1(1): 46-50. **
- Dracup K, Dunbar SB, Baker DW. Rethinking heart failure. *Am J Nurs* 1995; 95(7): 22-7.
- Drexler H et al. Effect of chronic angiotensin-converting enzyme inhibition on endothelial function in patients with chronic heart failure. *Am J Cardiol* 1995; 76(15): 13E-18E. **
- Duncan AK, Vittone J, Fleming KC, Smith HC. Cardiovascular disease in elderly patients. *Mayo Clin Proc* 1996; 71(2): 184-96. **
- Fein SA, Breisblatt W, Doyle JT, Singh A. Approach to ischemic heart disease, coronary care, and severe heart failure (including cardiogenic shock). *Clin Geriatr Med* 1994; 10(1): 145-60. **
- Fergus I., Demopoulos LA, LeJemtel TH. Quality of life in older patients with congestive heart failure. effects of ACE inhibitors. *Drugs Aging* 1996; 8(1): 23-8. **
- Francis GS. Determinants of prognosis in patients with heart failure. *J Heart Lung Transplant* 1994; 13(4): S113-6. **
- Funk M, Krumholz HM. Epidemiologic and economic impact of advanced heart failure. *J Cardiovasc Nurs* 1996; 10(2): 1-10. **
- Giles TD. Optimizing the treatment of heart failure. *Curr Opin Cardiol* 1994; 9(Suppl 1): S21-7. **

Literature Citations

- Ginzel AR. Women's compliance with cardiac rehabilitation programs. *Prog Cardio Nurs* 1996; 11(1): 30-5. **
- Greenblatt DJ. Disposition of cardiovascular drugs in the elderly. *Med Clin North Am* 1989; 73(2): 487-94.
- Hixon ME. Aging and heart failure. *Progress Cardiovasc Nurs* 1994; 9(1): 4-12. **
- Hobbs RE, Czernska B. Congestive heart failure. current and future strategies to decrease mortality. *Postgrad Med* 1994; 96(5): 167-72. **
- Jensen GA, Miller DS. The heart of aging: special challenges of cardiac ischemic disease and failure in the elderly. *AACN Clin Issues* 1995; 6(3): 471-81. **
- King D. Diagnosis and management of heart failure in the elderly. *Postgrad Med J* 1996; 72(852): 577-80. **
- Luchi RJ, Taffet GE, Teasdale TA. Congestive heart failure in the elderly. *J Am Geriatr Soc* 1991; 39: 810-25.
- Parmley WW. Pathophysiology of congestive heart failure. *Clin Cardiol* 1992; 15(Suppl 1): I5-12. **
- Phillips PA, Burrell LM, Tonkin AM, Johnston CI. Congestive cardiac failure and arrhythmias. *Med J Austral* 1995; 162(1): 44-77.
- Sherman A. Critical care management of the heart failure patient in the home. *Crit Care Nurs Quart* 1995; 18(1): 77-87. **
- Smith E, Powell H, Hastie IR. Coronary artery disease, valvular heart disease, bradycardia, and heart failure. *Postgrad Med J* 1995; 71(836): 346-53.
- Sokil AB. Approach to the management of coronary artery disease in the elderly. *Clin Geriatr Med* 1988; 4(1): 111-26.
- Stolarek I, Scott PJ, Caird FI. Physiological changes due to age: implications for cardiovascular drug therapy. *Drugs Aging* 1991; 1(6) : 467-76.
- Stoudemire A, Atkinson P. Use of cyclic antidepressants in patients with cardiac conduction disturbances. *Gen Hosp Psychiatr* 1988; 10: 389-97.

Literature Citations

Valacio R, Lye M. Heart failure in the elderly patient. *Brit J Clin Pract* 1995; 49(4): 200-4. **

Wei JY. Age and the cardiovascular system. *N Engl J Med* 1992; 327: 1735-1739. **

Wells TG, Young RA, Kearns GL. Age-related differences in digoxin toxicity and its treatment. *Drug Safety* 1992; 7(2): 135-51. **

Young JB. Angiotensin-converting enzyme inhibitors in heart failure: new strategies justified by recent clinical trials. *Internat J Cardiol* 1994; 43(2): 151-63. **

Young JB et al. Patterns of medication use in patients with heart failure: a report from the Registry of Studies of Left Ventricular Dysfunction (SOLVD). *South Med J* 1995; 88(5): 514-23. **

Literature Citations

- 1988 Joint National Committee. The 1988 report of the joint national committee on detection, evaluation, and treatment of high blood pressure. *Arch Intern Med* 1988; 148: 1023-38.
- Abernathy DR. Altered pharmacodynamics of cardiovascular drugs and their relation to altered pharmacokinetics in elderly patients. *Clin Geriatr Med* 1990; 6(2): 285-92.
- Abrams WB. Cardiovascular drugs in the elderly. *Chest* 1990 ; 98 (4): 980-6.
- Baldwin T, Vacek J. Use of cardiovascular drugs in the elderly. what difference does age make?. *Postgrad Med* 1989; 85(5): 319-20, 323-30.
- Bulpitt CJ, Fletcher AE. Prognostic significance of blood pressure in the very old. implications for the treatment decision. *Drugs Aging* 1994; 5(3): 184-91. **
- Bulpitt CJ. Hypertension in the very elderly. *J Human Hyperten* 1994; 8(8): 603-5.
- Bulpitt CJ et al. The hypertension in the very elderly trial (HYVET). rationale, methodology and comparison with previous trials. *Drugs Aging* 1994; 5(3): 171-83. **
- Burriss JF. Practical consideration in treating the elderly hypertensive patient. *Am J Med* 1991; 90 (suppl 4B): 28S-31S.
- Burriss JF. Hypertension management in the elderly. *Heart Dis Stroke* 1994; 3(2): 77-83.
- Chalmers J. Hypertension in the elderly: benefits of treatment. *Blood Press* 1995; Suppl 3: 6-10. **
- Collins R, MacMahon S. Blood pressure, antihypertensive drug treatment and the risks of stroke and of coronary heart disease. *Brit Med Bullet* 1994; 50(2): 272-98. **
- Duncan AK, Vittone J, Fleming KC, Smith HC. Cardiovascular disease in elderly patients. *Mayo Clin Proc* 1996; 71(2): 184-96. **
- Fotherby MD. Withdrawal of antihypertensive therapy in the elderly. the issues. *Drugs Aging* 1995; 6(6): 436-44. **
- Freis ED. Prognosis in elderly hypertensive patients. *Drugs Aging* 1994; 4(2): 87-92. **
- Gifford RW. Antihypertensive drugs: adverse reactions and metabolic effects in elderly patients. *Geriatrics* 1989; 44(Suppl B): 37-43.

Literature Citations

Gifford RW Jr. Managing hypertension in the elderly: dispelling the myths. *Cleve Clin J Med* 1995; 62(1): 29-35. **

Greenblatt DJ. Disposition of cardiovascular drugs in the elderly. *Med Clin North Am* 1989; 73(2): 487-94.

Hansson L, Zanchetti A. Characteristics of an ideal antihypertensive therapy for elderly hypertensives. *Blood Press* 1995; Suppl 3: 68-72. **

Hansson L, Petitot A. Review of studies with urapidil in elderly hypertensives. *Blood Press* 1995; Suppl 3: 21-5. **

Hansson L. Treatment of hypertension in the elderly with special reference to urapidil. *Blood Press* 1994; 4: 45-8. **

Hoes AW, Grobbee DE, Peet TM, Lubsen J. Do non-potassium-sparing diuretics increase the risk of sudden cardiac death in hypertensive patients? Recent evidence. *Drugs* 1994; 47(5): 711-33. **

Howard PA. Treating isolated systolic hypertension in the elderly. *Ann Pharmacother* 1994; 28(3): 367-73. **

Israili ZH, Hall WD. ACE inhibitors. differential use in elderly patients with hypertension. *Drugs Aging* 1995; 7(5): 355-71. **

Kannel WB. Framingham study insights into hypertensive risk of cardiovascular disease. *Hyperten Res* 1995; 18(3): 181-96. **

Kawachi I. Epidemiology of stroke. importance of preventive pharmacological strategies in elderly patients and associated costs. *Drugs Aging* 1994; 5(4): 288-99. **

Kligman EW, Higbee MD. Drug therapy for hypertension in the elderly. *J Fam Pract* 1989; 28(1): 81-7.

Lamy PP. The elderly, antihypertensive agents, and quality of life. *Consult Pharm* 1992; 7(Suppl A): 25-41. **

Levison SP. Treating hypertension in the elderly. *Clin Geriatr Med* 1988; 4(1): 1-12.

Lindholm LH. Antihypertensive treatment in the elderly. *Clin Experi Hyperten* 1996; 18(3-4): 435-47. **

Literature Citations

Messerli FH, Losem CJ. Antihypertensive therapy in the elderly. *Clin Geriatr Med* 1990; 6(2): 335-44.

O'Malley K, Cox JP, O'Brian E. Choice of drug treatment for elderly hypertensive patients. *Am J Med* 1991; 90(3A): 27s-33s.

Pool JL. Doxazosin: a new approach to hypertension and benign prostatic hyperplasia. *Brit J Clin Pract* 1996; 50(3): 154-63. **

Stolarek I, Scott PJ, Caird FI. Physiological changes due to age: implications for cardiovascular drug therapy. *Drugs Aging* 1991; 1(6) : 467-76.

Whisnant JP. Effectiveness versus efficacy of treatment of hypertension for stroke prevention. *Neurology* 1996; 46(2): 301-7.

Literature Citations

- Ahmad RAS, Watson RDS. Treatment of postural hypotension. *Drugs* 1990; 39(1): 74-85.
- Aronow WS. Post-prandial hypotension in the elderly. *J Royal Soc Med* 1995; 88(9): 499-501.
- Cunha UV. Management of orthostatic hypotension in the elderly. *Geriatrics* 1987; 42: 61-68.
- Lipsitz LA. Orthostatic hypotension in the elderly. *N Engl J Med* 1989; 321: 952-7.
- Mets TF. Drug-induced orthostatic hypotension in older patients. *Drugs Aging* 1995; 6(3): 219-28. **
- Senard JM, Montastruc JL. Adrenoceptor regulation in orthostatic hypotension during autonomic failure. *Trends Pharmacol Sci* 1993; 14(10): 349-51.
- Stumpf JL, Mitrzyk B. Management of orthostatic hypotension. *Am J Hosp Pharm* 1994; 51: 648-658. **
- Tan CD, Hart LL. Caffeine in elderly patients with postprandial hypotension. *Ann Pharmacother* 1993; 27(6): 732-3.
- Tonkin AL. Postural hypotension. *Med J Austral* 1995; 162(8): 436-8. **

Literature Citations

- Cardozo LD, Kelleher CJ. Sex hormones, the menopause and urinary problems. *Gynecol Endocrinol* 1995; 9(1): 75-84. **
- Chamberlain TM et al. Urinary incontinence in the long-term care patient. *Consult Pharm* 1990; 5(3): 173-180. **
- Chutka DS et al. Urinary incontinence in the elderly population. *Mayo Clin Proc* 1996; 71(1): 93-101. **
- Coletta EM, Murphy JB. Physical and functional assessment of the elderly stroke patient. *Am Fam Physician* 1994; 49(8): 1777-85. **
- DuBeau CE. Interpreting the effect of common medical conditions on voiding dysfunction in the elderly. *Urologic Clin North Am* 1996; 23(1): 11-8. **
- Fultz NH, Herzog AR. Epidemiology of urinary symptoms in the geriatric population. *Urologic Clin North Am* 1996; 23(1): 1-10. **
- Gardner J, Fonda D. Urinary incontinence in the elderly. *Disabil Rehab* 1994; 16(3): 140-8. **
- Gray M, Burns SM. Continence management. *Critical Care Nurs Clin North Am* 1996; 8(1): 29-38. **
- Jeter KF, Lutz JB. Skin care in the frail, elderly, dependent, incontinent patient. *Adv Wound Care* 1996; 9(1): 29-34. **
- Kennedy KL, Steidle CP, Letizia TM. Urinary incontinence: the basics. *Ostom Wound Manag* 1995; 41(7): 16-18. **
- Kroner BA, Garnett WR. Pharmacotherapy trials of urinary incontinence in the geriatric patient: a review of current literature findings. *J Geriatr Drug Ther* 1992; 7: 23-55.
- Nazarko L. A matter of urgency. *Nurs Times* 1996; 92(32): 63-4, 66, 68.
- Newman DK, Burns PA. Significance and impact of urinary incontinence. *Nurs Practit Forum* 1994; 5(3): 130-3. **
- Payne CK, Babiarz JW, Raz S. Genitourinary problems in the elderly patient. *Surg Clin North Am* 1994; 74(2): 401-29. **
- Resnick NM. Geriatric incontinence. *Urologic Clin North Am* 1996; 23(1): 55-74. **

Literature Citations

Resnick NM. Urinary incontinence. *Lancet* 1995; 346(8967): 94-9.

Rosenthal AJ, McMurtry CT. Urinary incontinence in the elderly. often simple to treat when properly evaluated. *Postgrad Med* 1995; 97(5): 109-16, 121. **

Rousseau P, Clifton AF. Urinary incontinence in the aged, part I: patient evaluation. *Geriatrics* 1992; 47(6): 22-34.

Skelly J, Flint AJ. Urinary incontinence associated with dementia . *J Am Geriatr Soc* 1995; 43(3): 286-94. **

Thayer D. How to assess and control urinary incontinence. *Am J Nurs* 1994; 94(10): 42-48.

Umlauf MG, Goode S, Burgio KL. Psychosocial issues in geriatric urology: problems in treatment and treatment seeking. *Urologic Clin North Am* 1996; 23(1): 127-36. **

Wein AJ. Pharmacologic treatment of incontinence. *J Am Geriatr Soc* 1990; 38: 317-25.

Yim PS, Peterson AS. Urinary incontinence. basic types and their management in older patients. *Postgrad Med* 1996; 99(5): 137-40, 143-4, 149-50. **

Literature Citations

- Allen MD, Greenblatt DJ, Arnold JD. Single and multiple dose-kinetics of estazolam - a triazolo benzodiazepine. *Psychopharmacology* 1979; 66: 267-274.
- Anon. Zolpidem for insomnia. *Med Lett* 1993; 35: 35-38.
- Anon. Zolpidem—a hypnotic with a difference. *Drug Therapeut Bullet* 1995; 33(5): 37-9.
- Cadieux RJ. Geriatric psychopharmacology. a primary care challenge. *Postgrad Med* 1993; 93(4): 281-2, 285-8, 294-301. **
- Coope J. Hormonal and non-hormonal interventions for menopausal symptoms. *Maturitas* 1996; 23(2): 159-68. **
- Flamer HE. Sleep problems. *Med J Austral* 1995; 162(11): 603-7. **
- Gillin JC, Byerley WF. The diagnosis and management of insomnia. *N Engl J Med* 1990; 322: 239-247. **
- Grad RM. Benzodiazepines for insomnia in community-dwelling elderly: a review of benefit and risk. *J Fam Pract* 1995; 41(5): 473-81. **
- Haponik EF. Sleep problems . In: Hazzard WR et al, eds. *Principles of Geriatric Medicine and Gerontology*, 3rd ed. New York: McGraw-Hill, 1994, 1213-1227.
- Hauri PJ, Esther MS. Insomnia. *Mayo Clin Proc* 1990; 65: 869-882.
- Hoehns JD, Perry PJ. Zolpidem: a nonbenzodiazepine hypnotic for treatment of insomnia. *Clin Pharm* 1993; 12: 814-828.
- Klett CJ. Review of triazolam data. *J Clin Psychiatry* 1992; 53 Suppl: 61-68.
- Lasagna L. Over-the-counter hypnotics and chronic insomnia in the elderly. *J Clin Psychopharmacol* 1995; 15(6): 383-6.
- McCall WV. Management of primary sleep disorders among elderly persons. *Psychiatr Serv* 1995; 46(1): 49-55. **
- Monane M. Insomnia in the elderly. *J Clin Psychiatry* 1992; 53(Suppl): 23-8. **
- Mullan E, Katona C, Bellew M. Patterns of sleep disorders and sedative hypnotic use in seniors. *Drugs Aging* 1994; 5(1): 49-58. **

Literature Citations

Pressman MR, Fry JM. What is normal sleep in the elderly. *Clin Geriatr Med* 1988; 4(1): 71-82.

Salva P, Costa J. Clinical pharmacokinetics and pharmacodynamics of zolpidem. therapeutic implications. *Clin Pharmacokin* 1995; 29(3): 142-53. **

Scharf MB et al. Effectiveness of low-dose temazepam on sleep in geriatric insomniac subjects. *Consult Pharm* 1993; 8(12): 1367-1373. **

Scharf MB et al. Effects of buspirone and alprazolam on snoring and sleep apnea in geriatric patients. *Consult Pharm* 1994; 9(6): 660-668. **

Sherman JA. Using hypnotic agents appropriately. *Consult Pharm* 1987; 2(4): 269, 273. **

Sherman JA. Identifying and treating insomnia in the elderly. *Consult Pharm* 1987; 2(1): 71-76. **

Shorr RI, Robin DW. Rational use of benzodiazepines in the elderly. *Drugs Aging* 1994; 4(1): 9-20. **

Swift CG, Shapiro CM. ABC of sleep disorders. sleep and sleep problems in elderly people. *Brit Med J* 1993; 306(6890): 1468-71.

Walsh JK, Mahowald MW. Avoiding the blanket approach to insomnia. *Postgrad Med* 1991; 90: 211-224.

Wooten V. Evaluation and management of sleep disorders in the elderly. *Psychiatr Ann* 1990; 20: 466-73.

Literature Citations

Cavalieri TA, Chopra A, Bryman PN. When outside the norm is normal: interpreting lab data in the aged. *Geriatrics* 1992; 47: 66-70. **

Francisco GE. Laboratory data in drug-regimen review: the clinical chemistries. *Consult Pharm* 1989; April: 201-207. **

Gore MJ. Guide to laboratory resources: how to use them—wisely. *Consult Pharm* 1993; 8(6): 591-600. **

Gore MJ. Laboratory tests for the elderly patient: how aging changes body chemistry. *Consult Pharm* 1994; 9(8): 839-853. **

Mallet L. Use of laboratory report flow sheets to track clinical data. *Consult Pharm* 1992; 7(10): 1148+. **

Ramsey MK et al. Laboratory data in drug-regimen review: the complete blood count. *Consult Pharm* 1989; Sept: 499-506. **

Roberts GH et al. Guidelines for interpretation of the routine urinalysis. *Consult Pharm* 1990; 5(11): 748-756. **

Somani SK et al. Appropriateness of serum drug concentration monitoring in the nursing home. *Consult Pharm* 1989; Feb: 89-93. **

Taniguchi G et al. Ordering of drug therapy-related laboratory tests by consultant pharmacists: a california experience. *Consult Pharm* 1990; 5(9): 546, 548. **

Literature Citations

- Anon. Guidelines for consultant pharmacists practicing in nursing facilities. *Consult Pharm* 1992; 7: 1094, 1099.
- Anon. Guidelines for consultant pharmacists practicing in residential care facilities. *Consult Pharm* 1993; 8: 150-153.
- Avorn J et al. A randomized trial of a program to reduce the use of psychoactive drugs in nursing homes. *N Engl J Med* 1992; 327: 168-173. **
- Barker DB, Solomon DA. Effect of consultant pharmacist intervention on antipsychotic drug use in a rest home. *Consult Pharm* 1992; 7: 155-158. **
- Beers MH et al. Inappropriate medication prescribing in skilled-nursing facilities. *Ann Intern Med* 1992; 117: 684-689. **
- Beers MH et al. Explicit criteria for determining inappropriate medication use in nursing home residents. *Arch Intern Med* 1991; 151(9): 1825-32.
- Boesch D. Presentations, proposals, & negotiations: three steps in landing a new client. *Consult Pharm* 1992; 7(2): 128-140.
- Boesch D. Home care: a market ripe for consultant pharmacy services. *Consult Pharm* 1991; 6(4): 306-316.
- Boesch D. Formularies and therapeutic substitution: gaining ground in long-term care. *Consult Pharm* 1994; 9(3): 284-292. **
- Carruthers KS. Basic approaches to drug distribution. *Consult Pharm* 1987; 2: 232-233.
- D'Achille KM. The consultant pharmacists' role in infection control. *Consult Pharm* 1990; 5: 316, 312.
- Davidson HE, Chamberlain TM, Hernandez P, Bauwens SF. Drug-use evaluation, part II: drug-use analysis in pharmaceutical care and quality assurance. *Consult Pharm* 1991; 6: 836-843. **
- Duffy B, Feinberg JL. Contract basics for consultant pharmacists. *Consult Pharm* 1992; 7: 143-155. **
- Feinberg JL. Meeting the mandate for quality assurance through drug-use evaluation. *Consult Pharm* 1991; 6(8): 611-638. **

Literature Citations

- Feinberg JL. Making therapeutic drug monitoring work in long-term care. *Consult Pharm* 1990; 5(11): 709-717. **
- Feinberg JL. Taking responsibility for therapeutic outcomes: barriers to consultant pharmacists. *Consult Pharm* 1991; 6(12): 958-965. **
- Feinberg M. Drug-use evaluation: critically important to consultant pharmacists' next phase of professional growth. *Consult Pharm* 1992; 7(Suppl B): 1+. **
- Harrington C, Tompkins C, Curtis M, Grant L. Psychotropic drug use in long-term care facilities: a review of the literature. *Gerontologist* 1992; 32(6): 822-33.
- Haydon-Greatting S. Meeting the new LTCF participation requirements for medication restraints. *Consult Pharm* 1989; Dec: 680-686. **
- Haydon-Greatting S et al. Obtaining an accurate drug allergy history. *Consult Pharm* 1989; Nov: 674, 670. **
- Hufford BA. Productivity: the key to profitable long term care pharmacy operations - getting more from available human resources can be key to success in dispensing operations. *Consult Pharm* 1987; May/June: 203-211. **
- Kaldy J. Nondrug therapies in nursing home patients. *Consult Pharm* 1992; 7(8): 781-785+. **
- Katz PR, Beam TR, Brand F, Boyce K. Antibiotic use in the nursing home, physician practice patterns. *Arch Intern Med* 1990; 150(7): 1465-8.
- Kidder SW. Cost-benefit of pharmacist-conducted drug-regimen reviews. *Consult Pharm* 1987; 2: 394-398. **
- Kidder SW. Review of drug waste in long term care facilities. *J Geriatr Drug Ther* 1976-1983; 1: 35-47. **
- Laucka PV, Hoffman NB. Decreasing medication use in a nursing-home patient care unit. *Am J Hosp Pharm* 1992; 49(1): 96-9.
- Lipton HL, Bird JA. The impact of clinical pharmacists' consultations on geriatric patients' compliance and medical care use: a randomized controlled trial. *Gerontologist* 1994; 34: 307-315. **
- Lipton HL, Bero LA, Bird JA, McPhee SJ. The impact of clinical pharmacists' consultations on physicians'. *Med Care* 1992; 30(7): 646-58.

Literature Citations

- Longe RL, King L. Drug-use evaluation: antiglaucoma ophthalmic drops. *Consult Pharm* 1993; 8: 31-36. **
- Mendelson MA. Drug-regimen review and postmarketing surveillance: research links to consultant pharmacy. *Consult Pharm* 1988; July/August: 313-319. **
- Miller RJ et al. Drug-regimen review in an adult care facility. *Consult Pharm* 1994; 9(4): 437-445. **
- Miller SW. Drug-use evaluation in long-term care facilities: sustained-release sinemetCR. *Consult Pharm* 1994; 9(2): 191-194. **
- Miller SW et al. Impact of pharmacist-conducted drug-regimen review on drug use in an intermediate-care facility. *Consult Pharm* 1991; 6(4): 317-322. **
- Miller SW et al. Cost savings and reduction of medication-related problems as a result of consultant pharmacy intervention. *Consult Pharm* 1993; 8(11): 1265-1272. **
- Morton MR. Clinical reasoning behind the federal indicators. *J Pharm Practice* 1988; 1: 178-88.
- Nichols S. Computers: drug-regimen review software. *Consult Pharm* 1991; 6(7): 563-577. **
- Nolan L, O'Malley K. The need for a more rational approach to drug prescribing in nursing homes. *Age & Aging* 1989; 18(1): 52-6.
- Ouellette SM, Pirrotta JA, Fiori MJ. Techniques for justifying fee reimbursement on a state level for pharmacist-conducted drug-regimen review. *Consult Pharm* 1990; 5: 523-527. **
- Phillips SL, Carr-Lopaz SM. Impact of a pharmacist on medication discontinuation in a hospital-based geriatric clinic. *Am J Hosp Pharm* 1990; 47(5): 1075-9.
- Pinneke S. Showing the reduction in unnecessary drugs. *Consult Pharm* 1993; 8(3): 306, 305. **
- Plein JB. Pharmacy's paradigm: welcoming the challenges and realizing the opportunities. *Amer J Pharm Ed* 1992; 56: 283-287. **
- Renner EA, Engle VF, Graney MJ. Prevalence and predictors of regularly scheduled medications of newly admitted nursing home residents. *J Am Geriatr Soc* 1992; 40(3): 232-6.
- Roberts KB et al. A study to determine the average cost to dispense prescriptions for nursing home patients in tennessee. *Consult Pharm* 1988; Nov/Dec: 544-548. **

Literature Citations

Sandberg AM. Use of four classes of psychoactive drugs in long-term care facilities. *Consult Pharm* 1993; 8(12): 1377-1381. **

Semla TP, Palla K, Poddig B, Brauner D. Effect of the omnibus reconciliation act of 1987 on antipsychotic prescribing in nursing home residents. *J Am Geriatr Soc* 1994; 42: 648-652. **

Shorr RI, Fought RL, Ray WA. Changes in antipsychotic drug use in nursing homes during implementation of the OBRA-87 regulations. *JAMA* 1994; 271(5): 358-362. **

Stuck AE, Tamai IY. Medication management in the home. *Clin Geriatr Med* 1991; 7(4): 733-48.

Supernaw RB, Catania PN. Drug distribution systems in the skilled nursing facility. *US Pharm* 1980; Sept: 33-40.

Swenson HK. Productivity in the drug-regimen process. *Consult Pharm* 1987; 2: 213-217. **

Torg E. Life since OBRA: roles and responsibilities of consultant pharmacists and physicians in long-term care. *Consult Pharm* 1992; 7(12): 1282-1290.

Turner WM. The food and drug administration algorithm; special workshop - regulatory . *Drug Info J* 1984; 18: 259-66.

Wayne SJ, Rhyne RL, Stratton M. Longitude prescribing patterns in a nursing home population. *J Am Geriatr Soc* 1992; 40(1): 53-6.

Williams B, Betley C. Inappropriate use of nonpsychotropic medications in nursing homes. *J Am Geriatr Soc* 1995; 43: 513-519.

Williams BR. Conducting drug-use evaluation in long-term care facilities. *Consult Pharm* 1992; 7(Suppl B): 4-14. **

Wong BJ et al. Role of the pharmacist on a geriatric assessment team. *Consult Pharm* 1994; 9(10): 1149-1158. **

Literature Citations

American College of Physicians. Guidelines for counseling postmenopausal women about preventive hormone therapy. *Ann Intern Med* 1992; 117: 1038-1041.

Cardozo LD, Kelleher CJ. Sex hormones, the menopause and urinary problems. *Gynecol Endocrinol* 1995; 9(1): 75-84. **

Cluxton RJ Jr et al. Drug-use evaluation in long-term care facilities: oral conjugated estrogens for postmenopausal osteoporosis. *Consult Pharm* 1992; 7(12): 1342-1346. **

Cluxton RJ Jr et al. Etidronate in the treatment of postmenopausal osteoporosis. *Consult Pharm* 1992; 7(6): 644-650. **

Doren M, Schneider HP. The impact of different HRT regimens on compliance. *Internat J Fertility Menopausal Stud* 1996; 41(1): 29-39. **

Felson DT et al. The effect of postmenopausal estrogen therapy on bone density in elderly women. *N Engl J Med* 1993; 329: 1142-1146. **

Panos A. Postmenopausal osteoporosis. *Consult Pharm* 1988; May/June: 271-277. **

Poehlman ET et al. Sarcopenia in aging humans: the impact of menopause and disease. *J Gerontol* 1995; 50: 73-7. **

Ryan EB, Meredith SD, MacLean MJ, Orange JB. Changing the way we talk with elders: promoting health using the communication enhancement model. *Internat J Aging Human Devel* 1995; 41(2): 89-107. **

Literature Citations

- Anon. Interaction between phenytoin and enteral feeding products. *Consult Pharm* 1990; 5(2): 104. **
- Barnett YA. Nutrition and the aging process. *Brit J Biomed Sci* 1994; 51(3): 278-87. **
- Berry EM. Chronic disease: how can nutrition moderate the effects. *Nutrit Rev* 1994; 52(Pt 2): S28-30.
- Brownell KD, Cohen LR. Adherence to dietary regimens. 2: components of effective interventions. *Behav Med* 1995; 20(4): 155-64. **
- Buchowski MS, Sun M. Nutrition in minority elders: current problems and future directions. *J Health Care Poor Underserv* 1996; 7(3): 184-209. **
- Casper RC. Nutrition and its relationship to aging. *Experi Gerontol* 1995; 30(3-4): 299-314. **
- Chandra R. Nutrition and immunity in the elderly: clinical significance. *Nutrit Rev* 1995; 53(Pt 2): S80-3; discussion S83-5.
- Chernoff R. Policy: nutrition standards for treatment of pressure ulcers. *Nutrit Rev* 1996; 54(Pt 2): S43-4.
- Chidester AM et al. Enteral feeding: drug incompatibilities and physical interactions. *Consult Pharm* 1992; 7(11): 1212-1216. **
- Evans WJ. Effects of aging and exercise on nutrition needs of the elderly. *Nutrit Rev* 1996; 54(Pt 2): S35-9.
- Evans WJ. Exercise, nutrition, and aging. *Clin Geriatr Med* 1995; 11(4): 725-34. **
- Feinberg M et al. Enteral nutrition formulas and drug interactions: problems and solutions. *Consult Pharm* 1993; 8(9): 975-983. **
- Fiatarone MA et al. Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Engl J Med* 1994; 330: 1769-1775. **
- Fielding RA. The role of progressive resistance training and nutrition in the preservation of lean body mass in the elderly. *J Amer Coll Nutr* 1995; 14(6): 587-94. **
- Franz MJ et al. Nutrition principles for the management of diabetes and related complications. *Diabet Care* 1994; 17(5): 490-518.

Literature Citations

- Gross ME. Phenytoin and enteral products. *Consult Pharm* 1990; 5(9): 484, 486. **
- Hussain NA, Warshaw G. Utility of clysis for hydration in nursing home residents. *J Am Geriatr Soc* 1996; 44(8): 969-73. **
- Lipschitz DA. Approaches to the nutritional support of the older patient. *Clin Geriatr Med* 1995; 11(4): 715-24. **
- Long CD et al. Drug-induced nutritional complications among nursing home residents: a pilot study. *Consult Pharm* 1993; 8(6): 637-641. **
- McLaughlin TJ Jr. Advantages of parenteral therapy in the nursing home. *Consult Pharm* 1990; 5(3): 196, 198. **
- Moore SA. Educating the family and the patient about nutrition. *Prim Care Clin Office Pract* 1994; 21(1): 69-83. **
- Morley JE, Silver AJ. Nutritional issues in nursing home care. *Ann Intern Med* 1995; 123(11): 850-9. **
- Moyer WR. Social services to assist nutrition. *Prim Care Clin Office Pract* 1994; 21(1): 85-105. **
- Owens JP et al. Clinical management needs of home parenteral nutrition patients. *Consult Pharm* 1990; 5(6): 336-341. **
- Roche HM, Gibney MJ. Postprandial triacylglycerolaemia—nutritional implications. *Progress Lipid Res* 1995; 34(3): 249-66.
- Roe DA. Geriatric nutrition. *Clin Geriatr Med* 1990; 6(2): 319-34.
- Rolandelli RH, Ullrich JR. Nutritional support in the frail elderly surgical patient. *Surg Clin North Am* 1994; 74(1): 79-92. **
- Schlienger JL, Pradignac A, Grunenberger F. Nutrition of the elderly: a challenge between facts and needs. *Hormon Res* 1995; 43(1-3): 46-51. **
- Stewart RB. Nutritional supplementation in the elderly. *Consult Pharm* 1987; 2(4): 261, 273. **
- Watson R. Nutrition in elderly people. *Elder Care* 1995; 7(5): 23-7; quiz 28-9.

Literature Citations

Bagge E, Brooks P. Osteoarthritis in older patients. optimum treatment. *Drugs Aging* 1995; 7(3): 176-83. **

Cicuttini FM, Spector TD. Osteoarthritis in the aged. epidemiological issues and optimal management. *Drugs Aging* 1995; 6(5): 409-20. **

Dekker J, Boot B, van der Woude LH, Bijlsma JW. Pain and disability in osteoarthritis: a review of biobehavioral mechanisms. *J Behav Med* 1992; 15(2): 189-214. **

Felson DT. Does excess weight cause osteoarthritis and, if so, why?. *Ann Rheum Dis* 1996; 55(9): 668-70.

Flynn BL. Rheumatoid arthritis and osteoarthritis: current and future therapies. *Am Pharm* 1994; NS34(11): 31+.

Hamerman D. Clinical implications of osteoarthritis and aging. *Ann Rheum Dis* 1995; 54(2): 82-5.

Handy JR. Osteoarthritis in elderly knees. *South Med J* 1996; 89(11): 1031-5. **

Harris C. Osteoarthritis: how to diagnose and treat the painful joint. *Geriatrics* 1993; 48(8): 39-40, 42-6. **

Hochberg MC. Prognosis of osteoarthritis. *Ann Rheum Dis* 1996; 55(9): 685-8.

Jones A, Doherty M. ABC of rheumatology. osteoarthritis. *Brit Med J* 1995; 310(6977): 457-60.

Messier SP. Osteoarthritis of the knee and associated factors of age and obesity: effects on gait. *Med Sci Sports Exerc* 1994; 26(12): 1446-52. **

Panush RS, Holtz HA. Is exercise good or bad for arthritis in the elderly. *South Med J* 1994; 87(5): S74-8. **

Rains C, Bryson HM. Topical capsaicin. a review of its pharmacological properties and therapeutic potential in post-herpetic neuralgia, diabetic neuropathy and osteoarthritis. *Drugs Aging* 1995; 7(4): 317-28. **

Sack KE. Osteoarthritis. a continuing challenge. *West J Med* 1995; 163(6): 579-86. **

Silman AJ, Newman J. Obstetric and gynecological factors in susceptibility to peripheral joint osteoarthritis. *Ann Rheum Dis* 1996; 55(9): 671-3. **

Skeith KJ, Brocks DR. Pharmacokinetic optimisation of the treatment of osteoarthritis. *Clin Pharmacokin* 1994; 26(3): 233-42. **

Literature Citations

Anderson JJ, Pollitzer WS. Ethnic and genetic differences in susceptibility to osteoporotic fractures. *Adv Nutr Res* 1994; 9: 129-49. **

Avioli LV. Osteoporosis syndromes: patient selection for calcitonin therapy. *Geriatrics* 1992; 47: 58-67.

Binkley NC, Suttie JW. Vitamin K nutrition and osteoporosis. *J Nutr* 1995; 125(7): 1812-21. **

Boonen S, Aerssens J, Dequeker J. Age-related endocrine deficiencies and fractures of the proximal femur. implications of growth hormone deficiency in the elderly. *J Endocrinol* 1996; 149(1): 7-12. **

Chesnut CH. Osteoporosis and its treatment. *N Engl J Med* 1992; 326: 406-407.

Cluxton RJ Jr et al. Drug-use evaluation in long-term care facilities: oral conjugated estrogens for postmenopausal osteoporosis. *Consult Pharm* 1992; 7(12): 1342-1346. **

Cluxton RJ Jr et al. Etidronate in the treatment of postmenopausal osteoporosis. *Consult Pharm* 1992; 7(6): 644-650. **

DeCherney A. Physiologic and pharmacologic effects of estrogen and progestins on bone. *J Reprod Med* 1993; 38(Suppl 12): 1007-14. **

Eisman JA. Efficacy of treatment of osteoporotic fractures. *Am J Med* 1995; 98(2A): 17S-23S. **

Fleisch H. The use of bisphosphonates in osteoporosis. *Brit J Clin Pract* 1994; 48(6): 323-6. **

Gamble CL. Osteoporosis: making the diagnosis in patients at risk for fracture. *Geriatrics* 1995; 50(7): 24-6, 29-30, 33. **

Hodes RJ. Osteoporosis: emerging research strategies aim at bone biology, risk factors, interventions. *J Am Geriatr Soc* 1995; 43: 75-77. **

Johansen A, Stone M, Rawlinson F. Bisphosphonates and the treatment of bone disease in the elderly. *Drugs Aging* 1996; 8(2): 113-26. **

Johnell O. Advances in osteoporosis: better identification of risk factors can reduce morbidity and mortality. *J Intern Med* 1996; 239(4): 299-304. **

Kanis JA, Adami S. Bone loss in the elderly. *Osteopor Internat* 1994; 4 Suppl 1: 59-65. **

Literature Citations

- Lips P. Vitamin D deficiency and osteoporosis: the role of vitamin D deficiency and treatment with vitamin D and analogues in the prevention of osteoporosis-related fractures. *Euro J Clin Invest* 1996; 26(6): 436-42.
- Lips P. Suboptimal vitamin D status: a risk factor for osteoporosis?. *Adv Nutrit Res* 1994; 9: 151-66.
- Melton LJ 3d et al. Perspective. how many women have osteoporosis?. *J Bone Mineral Res* 1992; 7(9): 1005-10. **
- Melton LJ 3rd. Epidemiology of hip fractures: implications of the exponential increase with age. *Bone* 1996; 18(Suppl 3): 121S-125S. **
- Meunier PJ et al. Can we stop bone loss and prevent hip fractures in the elderly. *Osteopor Internat* 1994; 4(Suppl 1): 71-6. **
- Murray TM. Prevention and management of osteoporosis: consensus statements from the Scientific Advisory Board of the Osteoporosis Society of Canada. 4. Calcium nutrition and osteoporosis. *Can Med Assoc J* 1996; 155(7): 935-9. **
- Nevitt MC. Epidemiology of osteoporosis. *Rheum Dis Clin North Amer* 1994; 20(3): 535-59. **
- Panos A. Postmenopausal osteoporosis. *Consult Pharm* 1988; May/June: 271-277. **
- Riggs BL, Melton LJ. The prevention and treatment of osteoporosis. *N Engl J Med* 1992; 327: 620-626. **
- Riggs BL, Melton LJ 3rd. The worldwide problem of osteoporosis: insights afforded by epidemiology. *Bone* 1995; 17(Suppl 5): 505S-511S. **
- Ross PD. Osteoporosis. frequency, consequences, and risk factors. *Arch Intern Med* 1996; 156(13): 1399-411. **
- Seeman E. Osteoporosis in men: epidemiology, pathophysiology, and treatment possibilities. *Am J Med* 1993; 95(5A): 22S-28S. **

Literature Citations

Hamdy RC. Paget's disease of the bone. Clin Ger Med 1994; 10(4): 719-35. **

Kanis JA, McCloskey EV, Beneton MN. Clodronate and osteoporosis. Maturitas 1996; 23 Suppl: S81-6. **

Kurzl RG. Paget's disease. Sem Dermatol 1996; 15(1): 60-6.

Mirra JM, Brien EW, Tehranzadeh J. Paget's disease of bone: review with emphasis on radiologic features, Part II. Skelet Radiol 1995; 24(3): 173-84. **

Onishi Y, Ohara K. Ectopic extramammary Paget's disease affecting the upper abdomen. Brit J Dermatol 1996; 134(5): 958-61. **

Literature Citations

Anon. Drugs for pain. *Med Lett* 1993; 35: 1-6.

Anon. Pain management: acute pain guideline. *Consult Pharm* 1993; 8(10): 1179-1180. **

Anon. Acute pain management: operative or medical procedures and trauma, part 2. agency for health care policy and research. *Clin Pharm* 1992; 11(5): 391-414. **

Black JR, Bernard JM, Williams LA. Heel pain in the older patient. *Clin Podiatr Med Surg* 1993; 10(1): 113-9. **

Bryson HM, Wilde MI. Amitriptyline. a review of its pharmacological properties and therapeutic use in chronic pain states. *Drugs Aging* 1996; 8(6): 459-76. **

Canavero S. Dynamic reverberation. a unified mechanism for central and phantom pain. *Med Hypoth* 1994; 42(3): 203-7. **

Closs SJ. Pain in elderly patients: a neglected phenomenon. *J Advan Nurs* 1994; 19(6): 1072-81. **

Eccleston C. Chronic pain and distraction: an experimental investigation into the role of sustained and shifting attention in the processing of chronic persistent pain. *Behaviour Res Ther* 1995; 33(4): 391-405. **

Egbert AM. Help for the hurting elderly. safe use of drugs to relieve pain. *Postgrad Med* 1991; 89(4): 217-22, 225,228.

Ferrell BA. Pain management in elderly people. *J Am Geriatr Soc* 1991; 39: 64-73.

Ferrell BR, Ferrell BA, Ahn C, Tran K. Pain management for elderly patients with cancer at home. *Cancer* 1994; 74(Suppl 7): 2139-46. **

Ferrell BR, Rhiner M, Ferrell BA. Development and implementation of a pain education program. *Cancer* 1993; 72(Suppl 11): 3426-32. **

Ferrell-Torry AT, Glick OJ. The use of therapeutic massage as a nursing intervention to modify anxiety and the perception of cancer pain. *Cancer Nurs* 1993; 16(2): 93-101. **

Ferris M. Geriatric patients in pain need pharmaceutical expertise. *Consult Pharm* 1993; 8(9): 906-909. **

Forman WB, Stratton M. Current approaches to chronic pain in older patients. *Geriatrics* 1991; 46: 47-52.

Literature Citations

- Gibson SJ et al. Pain in older persons. *Disab Rehab* 1994; 16(3): 127-39. **
- Gloth FM. Concerns with chronic analgesic therapy in elderly patients. *Am J Med* 1996; 101(1A): 19S-24S. **
- Gobetti JP. Controlling dental pain. *J Am Dent Assoc* 1992; 123(6): 47-52. **
- Hayes R. Pain assessment in the elderly. *Brit J Nurs* 1995; 4(20): 1199-204. **
- Helme RD, Katz B. Management of chronic pain. *Med J Austral* 1993; 158(7): 478-81. **
- Katz N. Role of invasive procedures in chronic pain management. *Sem Neurol* 1994; 14(3): 225-36.
- Latham J, Davis BD. The socioeconomic impact of chronic pain. *Disab Rehab* 1994; 16(1): 39-44. **
- Librach SL. Managing chronic pain in family practice. *Can Fam Physician* 1993; 39: 539-44. **
- Muraco Neto B et al. Ischemic rest pain of the lower extremities. treatment with peripheral nerve crush. *Rev Paul Med* 1993; 111(2): 359-62. **
- Nuki G. Pain control and the use of non-steroidal analgesic anti-inflammatory drugs. *Br Med J* 1990; 46: 262-78.
- Portenoy RK. Pain management in the older cancer patient. *Oncology* 1992; 6(Suppl 2): 86-98. **
- Rains C, Bryson HM. Topical capsaicin. a review of its pharmacological properties and therapeutic potential in post-herpetic neuralgia, diabetic neuropathy and osteoarthritis. *Drugs Aging* 1995; 7(4): 317-28. **
- Rawal N. Postoperative pain and its management . *Ann Acad Med Singapore* 1994; 23(Suppl 6): 56-64. **
- Roche RJ, Forman WB. Pain management for the geriatric patient. *Clin Podiatr Med Surg* 1994; 11(1): 41-53. **
- Sager DS, Bennett RM. Individualizing the risk/benefit ratio of NSAIDs in older patients. *Geriatrics* 1992; 47(8): 24-31. **
- Schnabel GA et al. Pain assessment: the pharmacists' challenge in alternative health care environments. *Consult Pharm* 1992; 7(8): 816-822. **
- Tyrer S. Psychiatric assessment of chronic pain. *Brit J Psychiatry* 1992; 160: 733-41.

Literature Citations

Wall RT. Use of analgesics in the elderly. Clin Geriatr Med 1990; 6(2): 345-64.

Yee LY, Lopez JR. Transdermal fentanyl. Ann Pharmacother 1992; 26(11): 1393-9. **

Zelouf DS, Posner MA. Hand and wrist disorders: how to manage pain and improve function. Geriatrics 1995; 50(3): 22-6, 29-31. **

Literature Citations

Ahlskog JE. Parkinson's disease: update on pharmacologic options to slow progression and treat symptoms. *Hosp Formul* 1992; 27: 146-163.

Ahlskog JE. Treatment of parkinson's disease. from theory to practice. *Postgrad Med* 1994; 95(5): 52+. **

Ben-Shlomo Y. How far are we in understanding the cause of parkinson's disease. *J Neurol Neurosurg Psychiatry* 1996; 61(1): 4-16.

Calne DB. Treatment of Parkinson's disease. *New Engl J Med* 1993; 329: 1021-1027.

Cedarbaum JM. Pharmacokinetic and pharmacodynamic considerations in management of motor response fluctuations in Parkinson's disease. *Neurol Clin* 1990; 8(1): 31-49.

Charles PD, Davis TL. Drug therapy for parkinson's disease. *South Med J* 1996; 89(9): 851-6. **

Chase TN, Baronti F, Fabbrini G et al. Rationale for continuous dopaminomimetic therapy of Parkinson's disease. *Neurology* 1989; 39(suppl 2): 7-10.

Collier DS, Berg MJ, Fincham RW. Parkinsonism treatment: part III-update. *Ann Pharmacother* 1992; 26: 227-233.

Cummings JL. Behavioral complications of drug treatment of Parkinson's disease. *J Am Geriatr Soc* 1991; 39: 708-16.

Factor SA, Molho ES, Podskalny GD, Brown D. Parkinson's disease: drug-induced psychiatric states. *Advanc Neurology* 1995; 65: 115-38. **

Geriatric pharmacy institute. Adjuvant therapy in the treatment of parkinson's disease. *Consult Pharm* 1989; Aug: 405. **

Hutton JT, Morris JL, Bush DF et al. Multicenter controlled study of Sinemet CR vs Sinemet (25/100) in advanced Parkinson's disease. *Neurology* 1989; 39(suppl 2): 67-72.

Jankovic J, Marsden CD. Therapeutic strategies in Parkinson's disease. In: Jankovick J, Tolosa E, eds. *Parkinson's Disease and Movement Disorders*, 2nd ed. Baltimore: Williams & Wilkins, 1993, 115-144.

Koller WC, Silver DE, Lieberman A (eds). An algorithm for the management of parkinson's disease. *Neurology* 1994; 44(12): Suppl 10.

Literature Citations

Marsdon CD. Parkinson's disease. *J Neurol Neurosurg Psychiatry* 1994; 57: 672-680.

Morano A, Jimenez-Jimenez FJ, Molina JA, Antolin MA. Risk-factors for parkinson's disease: case-control study in the province of Caceres, Spain. *Acta Neurolog Scand* 1994; 89(3): 164-70. **

Paulson GW. Management of the patient with newly-diagnosed parkinson's disease. *Geriatrics* 1993; 48(2): 30+. **

Quinn N. Drug treatment of parkinson's disease. *Brit Med J* 1995; 310(6979): 575-9. **

Quinn NP. Parkinsonism and dystonia, pseudo-parkinsonism and pseudodystonia. *Advan Neurol* 1993; 60: 540-3.

Robertson DR, George CF. Drug therapy for parkinson's disease in the elderly. *Br Med J* 1990; 46: 124-46.

Sage JI, Mark MH. Diagnosis and treatment of parkinson's disease in the elderly. *J Gen Intern Med* 1994; 9(10): 583-9.

Scharre DW, Mahler MF. Parkinson's disease: making the diagnosis, selecting drug therapies. *Geriatrics* 1994; 49: 14-23.

Sweeney PJ. Parkinson's disease: managing symptoms and preserving function. *Geriatrics* 1995; 50: 24-31.

The Parkinson's study group. Effect of tocopherol and deprenyl on the progression of disability in early Parkinson's disease. *N Engl J Med* 1993; 328: 176-183.

Weekly NJ. Parkinsonism: an overview. *Geriatr Nurs* 1995; 16(4): 169-71.

Wolters EC, Tissingh G, Bergmans PL, Kuiper MA. Dopamine agonists in parkinson's disease. *Neurology* 1995; 45(Suppl 3): S28-34. **

Literature Citations

Andersson T. Pharmacokinetics, metabolism and interactions of acid pump inhibitors. focus on omeprazole, lansoprazole and pantoprazole. Clin Pharmacokin 1996; 31(1): 9-28. **

Bianchi Porro G, Lazzaroni M. Prescribing policy for antiulcer treatment in the elderly. Drugs Aging 1993; 3(4): 308-19. **

Branicki FJ. Risk factors, Helicobacter pylori and a role for laparoscopic treatment of perforated peptic ulcer?. J Gastroenterol Hepatol 1996; 11(1): 93-6.

Buckley M, Martin P, O'Morain C. Helicobacter pylori infection. implications for ulcer therapy in older patients. Drugs Aging 1994; 5(1): 1-7.

Colin-Jones DG. Safety of lansoprazole. Brit J Clin Pract - Symp Suppl 1994; 75: 58-66. **

Duggan JM. Is the aggressive management of peptic ulcer justified by the data. J Clin Gastroenterology 1993; 17(2): 109-16. **

Ellershaw JE, Kelly MJ. Corticosteroids and peptic ulceration. Palliat Med 1994; 8(4): 313-9. **

Garnett WR. Patient-outcome management of gastric acid-related disorders. Consult Pharm 1992; 7(Suppl B): 15-26. **

Graham DY. Nonsteroidal anti-inflammatory drugs, Helicobacter pylori, and ulcers: where we stand. Am J Gastroenterol 1996; 91(10): 2080-6. **

Hawkey CJ. Gastrointestinal problems associated with non-steroidal, anti-inflammatory drugs (NSAIDs). Scand J Gastroenterol - Suppl 1993; 200: 94-5. **

Lockhart SP. Clinical review of lansoprazole. Brit J Clin Pract - Symp Suppl 1994; 75: 48-57. **

Marshall BJ. Helicobacter pylori: a primer for 1994. Gastroenterol 1993; 1(4): 241-7. **

Moules IK. Lansoprazole: pharmacokinetics and pharmacodynamics. Brit J Clin Pract 1994; 75(Suppl): 41-5+.

NIH consensus development panel on Helicobacter pylori in peptic ulcer disease. Helicobacter pylori in peptic ulcer disease. JAMA 1994; 272: 65-69. **

Roth SH. From peptic ulcer disease to NSAID gastropathy. an evolving nosology. Drugs Aging 1995; 6(5): 358-67. **

Literature Citations

Shiba S et al. Hyponatremia with consciousness disturbance caused by omeprazole administration. A case report and literature review. *Digest Dis Sci* 1996; 41(8): 1615-7. **

Siepler JK, Mahakian K, Truedeau WT. Current concepts in clinical therapeutics: peptic ulcer disease. *Clin Pharm* 1986; 5: 128-39.

Sipponen P. *Helicobacter pylori*: a cohort phenomenon. *Amer J Surg Pathol* 1995; 19(Suppl 1): S30-6. **

Stucki G, Johannesson M, Liang MH. Use of misoprostol in the elderly: is the expense justified. *Drugs Aging* 1996; 8(2): 84-8. **

Literature Citations

- Abernathy DR. Altered pharmacodynamics of cardiovascular drugs and their relation to altered pharmacokinetics in elderly patients. *Clin Geriatr Med* 1990; 6(2): 285-92.
- Cedarbaum JM. Pharmacokinetic and pharmacodynamic considerations in management of motor response fluctuations in Parkinson's disease. *Neurol Clin* 1990; 8(1): 31-49.
- Crome P, Flanagan RJ. Pharmacokinetic studies in elderly people. Are they necessary. *Clin Pharmacokin* 1994; 26(4): 243-7.
- Dawling S, Crome P. Clinical pharmacokinetic considerations in the elderly. an update. *Clin Pharmacokin* 1989; 17(4) : 236-63.
- Douglas KC, Fujimoto D. Asian Pacific elders. implications for health care providers. *Clin Geriatr Med* 1995; 11(1): 69-82. **
- Feely J, Coakly D. Altered pharmacodynamics in the elderly. *Clin Geriatr Med* 1990; 6: 269-283.
- Frydman A. Low-molecular-weight heparins: an overview of their pharmacodynamics, pharmacokinetics and metabolism in humans. *Haemostasis* 1996; 26(Suppl 2): 24-38. **
- Greenblatt DJ. Disposition of cardiovascular drugs in the elderly. *Med Clin North Am* 1989; 73(2): 487-94.
- Greenblatt DJ, Shader RI, Harmatz JS. Implications of altered drug disposition in the elderly: studies of benzodiazepines. *J Clin Pharmacol* 1989; 29(10): 866-72.
- Gurwitz JH, Avorn J. The ambiguous relation between aging and adverse drug reactions. *Ann Intern Med* 1991; 114: 956-965. **
- Jackson SH. Pharmacodynamics in the elderly. *J Royal Soc Med* 1994; 87(Suppl 23): 5-7.
- Lackner TE. Digoxin dose determinations in geriatric patients: pharmacokinetics considerations. *Consult Pharm* 1994; 9: 73, 77.
- Lackner TE. Theophylline dose determinations in geriatric patients: pharmacokinetic considerations. *Consult Pharm* 1994; 9: 78-82.
- Lamy PP. Physiological changes due to age. pharmacodynamic changes of drug action and implications for therapy. *Drugs Aging* 1991; 1(5) : 385-404.
- Ljungberg B, Ehle I. Pharmacokinetics of antimicrobial agents in the elderly. *Rev Infect Dis* 1987; 9: 250-263.

Literature Citations

- Mayersohn M. Pharmacokinetics in the elderly. *Environ Health Perspect* 1994; 102(Suppl 11): 119-24. **
- Morrissey MR, Plein JB, Plein EM. Prospective review of dosing of renally eliminated medications for nursing home residents. *Consult Pharm* 1991; 6: 623-628. **
- Moules IK. Lansoprazole: pharmacokinetics and pharmacodynamics. *Brit J Clin Pract* 1994; 75(Suppl): 41-5+.
- Parker BM, Cusack BJ, Vestal RE. Pharmacokinetic optimization of drug therapy in elderly patients. *Drugs Aging* 1995; 7: 10-18.
- Parnetti L. Clinical pharmacokinetics of drugs for alzheimer's disease. *Clin Pharmacokin* 1995; 29(2): 110-29.
- Pucino F et al. Pharmacogeriatrics. *Pharmacother* 1985; 5: 314-26.
- Regazzi MB, Rondanelli R, Calvi M. The need for pharmacokinetics protocols in special cases. *Pharmacolog Res* 1993; 27(1): 21-31.
- Ritschel WA. Drug disposition in the elderly: gerontokinetics. *Meth Find Experiment Clin Pharmacol* 1992; 14(7): 555-72.
- Roberts J, Tumer N. Pharmacodynamic basis for altered drug action in the elderly. *Clin Geriatr Med* 1988; 4: 127-149.
- Salva P, Costa J. Clinical pharmacokinetics and pharmacodynamics of zolpidem. therapeutic implications. *Clin Pharmacokin* 1995; 29(3): 142-53. **
- Schenker S, Bay M. Drug disposition and hepatotoxicity in the elderly. *J Clin Gastroenterol* 1994; 18(3): 232-7. **
- Simonson W et al. Basic pharmacokinetic principles for consultant pharmacists. *Consult Pharm* 1990; 5(11): 741-746. **
- Smith CL, Hampton EM. Using estimated creatinine clearance for individualizing drug therapy: a reassessment. *Ann Pharmacother* 1990; 24: 1185.
- Swift CT. Pharmacodynamics: changes in homeostatic mechanisms, receptors and target organ sensitivity in the elderly. *Br Med Bul* 1990; 46: 36-52.

Literature Citations

Tsujimoto G, Hashimoto K, Hoffman BB. Pharmacokinetic and pharmacodynamic principles of drug therapy in old age - part 1. *Internat J Clin Pharmacol Ther Toxicol* 1989; 27(1): 13-26.

Tsujimoto G, Hashimoto K, Hoffman BB. Pharmacokinetic and pharmacodynamic principles of drug therapy in old age - part 2. *Internat J Clin Pharmacol Ther Toxicol* 1989; 27(3) : 102-116.

Wallace SM, Verbeeck RK. Plasma protein binding of drugs in the elderly. *Clin Pharmacokin* 1987; 12: 41-72.

Wells TG, Young RA, Kearns GL. Age-related differences in digoxin toxicity and its treatment. *Drug Safety* 1992; 7(2): 135-51. **

Woodhouse KW, Wynne A. The pharmacokinetics of non-steroidal anti-inflammatory drugs in the elderly. *Clin Pharmacokin* 1987; 12: 111-122.

Woodhouse KW. Pharmacokinetics of drugs in the elderly. *J Royal Soc Med* 1994; 87(Suppl 23): 2-4.

Yonkers KA, Kando JC, Cole JO, Blumenthal S. Gender differences in pharmacokinetics and pharmacodynamics of psychotropic medication. *Am J Psychiatry* 1992; 149(5): 587-95. **

Yuen GJ. Altered pharmacokinetics in the elderly. *Clin Geriatr Med* 1990; 6(2): 257-268.

Literature Citations

- Betts RF. Vaccines in the prevention of viral pneumonia. *Sem Resp Infect* 1995; 10(4): 282-7. **
- Fein AM. Pneumonia in the elderly. Special diagnostic and therapeutic considerations. *Med Clin North Am* 1994; 78(5): 1015-33. **
- Fein AM, Niederman MS. Severe pneumonia in the elderly. *Clin Geriatr Med* 1994; 10(1): 121-43. **
- Fein AM et al. The elusive diagnosis of pneumonia in the elderly. *Emer Med* 1991; 15: 87.
- Gilbert K, Fine MJ. Assessing prognosis and predicting patient outcomes in community acquired pneumonia. *Sem Resp Infect* 1994; 9(3): 140-52. **
- Hecht A, Siple J, Deitz S, Williams P. Diagnosis and treatment of pneumonia in the nursing home. *Nurs Pract* 1995; 20(5): 24+. **
- Hedlund J. Community-acquired pneumonia requiring hospitalisation. Factors of importance for the short-and long term prognosis. *Scand J Infect Dis* 97; 1995: 1-60. **
- Heuser MD, Colvin PL Jr. The “peripneumonia” period in the older adult. *Compreh Ther* 1994; 20(5): 300-5. **
- Leeper KV Jr, Torres A. Community-acquired pneumonia in the intensive care unit. *Clin Chest Med* 1995; 16(1): 155-71. **
- Long CO, Ismeurt R, Wilson LW. The elderly and pneumonia. prevention and management. *Home Healthc Nurs* 1995; 13(5): 43-7. **
- Meeker DP, Longworth DL. Community-acquired pneumonia: an update. *Cleve Clin J Med* 1996; 63(1): 16-30. **
- Moroney C. Management of pneumonia in elderly people. *J Am Acad Nurs Pract* 1996; 8(5): 237-41.
- Musher DM, Spindel SJ. Community-acquired pneumonia. *Curr Clin Top Infect Dis* 1996; 16: 102-24.
- Mylotte JM, Ksiazek S, Bentley DW. Rational approach to the antibiotic treatment of pneumonia in the elderly. *Drugs Aging* 1994; 4(1): 21-33. **
- Norman DC. Pneumonia in the elderly: empiric antimicrobial therapy. *Geriatrics* 1991; 46: 26.

Literature Citations

Piedra PA. Influenza virus pneumonia: pathogenesis, treatment, and prevention. *Sem Resp Infect* 1995; 10(4): 216-23. **

Rubin SA, Winer-Muram HT, Ellis JV. Diagnostic imaging of pneumonia and its complications in the critically ill patient. *Clin Chest Med* 1995; 16(1): 45-59. **

Woodhead M. Pneumonia in the elderly. *J Antimicrob Chemother* 1994; 34(Suppl A): 85-92. **

Literature Citations

- Allman RM. Pressure ulcers among the elderly. *N Engl J Med* 1989; 320: 850-3.
- Anon. Topical metronidazole relieves odor from anaerobically infected decubitus ulcers. *Consult Pharm* 1992; 7(1): 46-47. **
- Bridel J. Tissue viability. interpreting pressure sore data. *Nurs Stand* 1995; 9(19): 52-4.
- Chamberlain TM et al. Assessment and management of pressure sores in long-term care facilities. *Consult Pharm* 1992; 7(12): 1328-1340. **
- Chernoff R. Policy: nutrition standards for treatment of pressure ulcers. *Nutrit Rev* 1996; 54(Pt 2): S43-4.
- Ferrell BA, Artinian BM, Sessing D. The sessing scale for assessment of pressure ulcer healing. *J Am Geriatr Soc* 1995; 43: 37-40. **
- Kertesz D, Chow AW. Infected pressure and diabetic ulcers. *Clin Geriatr Med* 1992; 8(4): 835-52. **
- Krainski MM. Pressure ulcers and the elderly. a review of the literature, 1980-1990. *Ostomy Wound Manage* 1992; 38(5): 22-37.
- Mulder GD, LaPan M. Decubitus ulcers. *Geriatrics* 1988; 43(9): 37-50.
- Sebern MD. Explication of the construct of shared care and the prevention of pressure ulcers in home health care. *Res Nurs Health* 1996; 19(3): 183-92. **
- Shannon ML, Lehman CA. Protecting the skin of the elderly patient in the intensive care unit. *Crit Care Nurs Clin North Am* 1996; 8(1): 17-28. **
- Smith DM. Pressure ulcers in the nursing home. *Ann Intern Med* 1995; 123(6): 433-42. **
- Spoelhof GD, Ide K. Pressure ulcers in nursing home patients. *Am Fam Physician* 1993; 47(5): 1207-15. **
- Spruill WJ, Spruill PB. Prevention and management of pressure sores in long-term care facility patients. *Clin Consult* 1990; 9(199): 1-4.
- The Center for Long Term Care. The consultant pharmacist's role in improving outcomes in pressure sore management. *Consult Pharm* 1993; 8(11): 1282-1289. **
- Young JB, Dobrzanski S. Pressure sores. epidemiology and current management concepts. *Drugs Aging* 1992; 2(1): 42-57. **

Literature Citations

Anderson ST. Mortality in rheumatoid arthritis: do age and gender make a difference?. *Sem Arthritis Rheum* 1996; 25(5): 291-6. **

Bendtsen P, Akerlind I, Hornquist JO. Pharmacological intervention in older patients with rheumatoid arthritis. quality of life aspects. *Drugs Aging* 1995; 7(5): 338-46. **

Boerbooms AM et al. Infections during low-dose methotrexate treatment in rheumatoid arthritis. *Sem Arthritis Rheum* 1995; 24(6): 411-21. **

Brechtelsbauer DA. Managing rheumatologic disease in nursing home patients. *Postgrad Med* 1994; 96(2): 91-6. **

Davies NM, Jamali F, Skeith KJ. Nonsteroidal antiinflammatory drug-induced enteropathy and severe chronic anemia in a patient with rheumatoid arthritis. *Arthritis Rheum* 1996; 39(2): 321-4. **

Flynn BL. Rheumatoid arthritis and osteoarthritis: current and future therapies. *Am Pharm* 1994; NS34(11): 31+.

Gardner G, Furst DE. Disease-modifying antirheumatic drugs. potential effects in older patients. *Drugs Aging* 1995; 7(6): 420-37. **

Kirchner JT. Nonsteroidal anti-inflammatory drug use in the elderly: issues of compliance and safety. *J Amer Osteopath Assoc* 1994; 94(4): 300-4. **

Murray MD, Brater DC. Nonsteroidal anti-inflammatory drugs. *Clin Geriatr Med* 1990; 6(2): 365-98.
Nesher G, Moore TL, Suchner J. Rheumatoid arthritis in the elderly. *J Am Geriatr Soc* 1991; 39: 184-194.

Poole AR, Dieppe P. Biological markers in rheumatoid arthritis. *Sem Arthritis Rheum* 1994; 23(Suppl 2): 17-31. **

Scharf SL, Christophidis N. Second-line agents for rheumatoid arthritis. *Med J Austral* 1995; 163(4): 215-8. **

Star VL, Hochberg MC. Osteoporosis in patients with rheumatic diseases. *Rheum Dis Clin North Am* 1994; 20(3): 561-76. **

Van Riel PL, Van de Putte LB. Clinical assessment and clinical trials in rheumatoid arthritis. *Curr Op Rheumatol* 1994; 6(2): 132-9. **

Van Schaardenburg D, Breedveld FC. Elderly-onset rheumatoid arthritis. *Sem Arthritis Rheum* 1994; 23(6): 367-78. **

Literature Citations

- Annegers JF. Epidemiology and genetics of epilepsy. *Neurol Clin* 1994; 12: 15-29.
- Anon. Interaction between phenytoin and enteral feeding products. *Consult Pharm* 1990; 5(2): 104. **
- Asconape JJ, Penry JK. Poststroke seizures in the elderly. *Clin Geriatr Med* 1991; 7: 483-492.
- Drury I, Beydoun A. Seizure disorders of aging: differential diagnosis and patient management. *Geriatrics* 1993; 48(5): 52+. **
- Ettinger AB. Structural causes of epilepsy. *Neurol Clin* 1994; 12: 41-56.
- Garcia PA, Alldredge BK. Drug-induced seizures. *Neurol Clin* 1994; 12: 85-99.
- Graves NM, Leppik IE. Antiepileptic medications in development. *DICP Ann Pharmacother* 1991; 25: 978-986.
- Gross ME. Phenytoin and enteral products. *Consult Pharm* 1990; 5(9): 484, 486. **
- Haider A, Tuchek JM, Haider S. Seizure control: how to use the new antiepileptic drugs in older patients. *Geriatrics* 1996; 51(9): 42-5. **
- Hansotia P. Seizure disorders, diabetes mellitus, and cerebrovascular disease. Considerations for older drivers. *Clin Geriatr Med* 1993; 9(2): 323-39. **
- Hartshorn JC. Seizures and the elderly. *Crit Care Nurs Clin North Am* 1996; 8(1): 71-8. **
- Hauser WA. Seizure disorders: the changes with age. *Epilepsia* 1992; 33(Suppl 4): S6-14. **
- Knudsen FU. Intermittent diazepam prophylaxis in febrile convulsions. *ACTA Neurol Scand* 1991; 83: 3-24.
- Leppik IE. Status epilepticus in perspective. *Neurology* 1990; 40 (suppl 2): 1-42.
- Leppik IE. Status epilepticus. *Neurol Clin* 1986; 4: 633-642.
- Lesser RP. Psychogenic seizures. *Neurology* 1996; 46(6): 1499-507.
- Morrell MJ. Differential diagnosis of seizures. *Neurol Clin* 1993; 11: 737-753.

Literature Citations

Pugh CB, Garnett WR. Current issues in the treatment of epilepsy. *Clin Pharmacy* 1991; 10: 335-393.

Scheuer ML, Cohen J. Seizures and epilepsy in the elderly. *Neurolog Clin* 1993; 11(4): 787-804. **

So NK. Recurrence, remission, and relapse of seizures. *Cleve Clin J Med* 1993; 60(6): 439-44. **

Traeger SM et al. Seizures associated with ofloxacin therap. *Clin Infect Dis* 1995; 21(6): 1504-6. **

Treiman DM. Current treatment strategies in selected situations in epilepsy. *Epilepsia* 1993; 34 (suppl 5): S17-S23.

Wagner ML. Felbamate: a new antiepileptic drug. *Am J Hosp Pharm* 1994; 51: 1657-1666.

Walsh GO, Delgado-Escueta AV. Status epilepticus. *Neurol Clin* 1993; 11: 835-851.

Wang DZ, Steg RE, Futrell N. Crying seizures after cerebral infarction. *J Neurol Neurosurg Psychiatry* 1995; 58(3): 380-1.

Literature Citations

- Anon. Substance abuse treatment: dependence, abuse, and withdrawal: emerging issues with prescription drugs. *Consult Pharm* 1993; 8(12): 1385-1386. **
- D'Archangelo E. Substance abuse in later life. *Can Fam Physician* 1993; 39: 1986-8, 1991-3. **
- Desai TH, Rajput AH, Desai HB. Use and abuse of drugs in the elderly. *Prog Neuro-Psychopharmacol Bio Psychiatry* 1990; 14(5): 779-84.
- Gomberg ES. Older women and alcohol. use and abuse. *Rec Develop Alcohol* 1995; 12: 61-79. **
- Jinks MJ et al. Mandatory alcohol and other drug information courses: teaching opportunities for pharmacists. *Consult Pharm* 1988; 2: 167-170. **
- Joseph CL. Alcohol and drug misuse in the nursing home. *Internat J Addict* 1995; 30 (13-14): 1953-84. **
- King CJ, Van Hasselt VB, Segal DL, Hersen M. Diagnosis and assessment of substance abuse in older adults: current strategies and issues. *Addict Behav* 1994; 19(1): 41-55. **
- Lish JD et al. Psychiatric screening in geriatric primary care: should it be for depression along?. *J Geriatr Psychiatr Neurol* 1995; 8(3): 141-53. **
- Montamat SC, Cusack B. Overcoming problems with polypharmacy and drug misuse in the elderly. *Clin Geriatr Med* 1992; 8(1): 143-58. **
- Peppers MP. Benzodiazepines for alcohol withdrawal in the elderly and in patients with liver disease. *Pharmacother* 1996; 16(1): 49-57. **
- Rosenthal RN, Hellerstein DJ, Miner CR. Integrated services for treatment of schizophrenic substance abuse: demographics, symptoms, and substance abuse patterns. *Psychiatr Quart* 1992; 63(1): 3-26. **
- Svarstad BL, Mount JK. Nursing home resources and tranquilizer use among the institutionalized elderly. *J Am Geriatr Soc* 1991; 39(9): 869-75.
- Szwabo PA. Substance abuse in older women. *Clin Geriatric Med* 1993; 9(1): 197-208. **
- Thibault JM, Maly RC. Recognition and treatment of substance abuse in the elderly. *Prim Care Clin Office Pract* 1993; 20(1): 155-65. **
- Young JT. Patients' questions about disulfiram. *Consult Pharm* 1989; March: 154-153. **

Literature Citations

Alloway JA, Salata MP. Quinidine-induced rheumatic syndromes. *Sem Arthrit Rheum* 1995; 24(5): 315-22.

Corley DE, Winterbauer RH. Collagen vascular diseases. *Sem Respir Infect* 1995; 10(2): 78-85.

Hopkinson N. Epidemiology of systemic lupus erythematosus. *Ann Rheumat Dis* 1992; 51(12): 1292-4.

McDonald E, Marino C. Procainamide-induced lupus in the elderly. *Hosp Pract (Off Ed)* 1993; 28(6): 95-8. **

Pisetsky DS et al. Systemic Lupus Erythematosus. In: Schumacher HR Jr. *Primer on the Rheumatic Diseases*, 10th ed. Atlanta: Arthritis Foundation, 1993, 100-116.

Rich MW. Drug-induced lupus. the list of culprits grows. *Postgrad Med* 1996; 100(3): 299-302, 307-8. **

Sels F, Dequeker J, Verwilghen J, Mbuyi-Muamba JM. SLE and osteoporosis: dependence and/or independence on glucocorticoids. *Lupus* 1996; 5(2): 89-92.

Literature Citations

- Blackshear JL et al. Management of atrial fibrillation in adults: prevention of thromboembolism and symptomatic treatment. *Mayo Clin Proc* 1996; 71(2): 150-60. **
- Cobbe SM. Incidence and risks associated with atrial fibrillation. *Pacing Clin Electrophysiol* 1994; 17(5): 1005-10.
- Demasi R et al. Heparin-induced thrombocytopenia. *Amer Surg* 1994; 60(1): 26-9. **
- Frydman A. Low-molecular-weight heparins: an overview of their pharmacodynamics, pharmacokinetics and metabolism in humans. *Haemostasis* 1996; 26(Suppl 2): 24-38. **
- Gurwitz JH et al. Aging and the anticoagulant response to warfarin therapy. *Ann Intern Med* 1992; 116: 901-904. **
- Lackner TE. Ticlopidine and other oral antithrombotic agents: new therapy guidelines. *Consult Pharm* 1994; 9(1): 39-48. **
- Wheeldon NM. Atrial fibrillation and anticoagulant therapy. *Euro Heart J* 1995; 16(3): 302-12.

Literature Citations

Brody MB, Reichard RA. Thyroid screening. how to interpret and apply the results. *Postgrad Med* 1995; 98(2): 54+. **

Finucane P, Anderson C. Thyroid disease in older patients. diagnosis and treatment. *Drugs Aging* 1995; 6(4): 268-77. **

Levy EG. Thyroid disease in the elderly. *Med Clin North Am* 1991; 75: 151-67.

Mariotti S, Franceschi C, Cossarizza A, Pinchera A. The aging thyroid. *Endocrine Rev* 1995; 16(6): 686-715.

Mokshagundam S, Barzel US. Thyroid disease in the elderly. *J Am Geriatr Soc* 1993; 41: 1361-1369. **

Rae P, Farrar J, Beckett G, Toft A. Assessment of thyroid status in elderly people. *Brit Med J* 1993; 307(6897): 177-80.

Roti E, Minelli R, Gardini E, Braverman LE. The use and misuse of thyroid hormone. *Endocrine Rev* 1993; 14(4): 401-23.

Shetty KR, Duthie EH Jr. Thyroid disease and associated illness in the elderly. *Clin Geriatr Med* 1995; 11(2): 311-25. **

Toft AD. Thyroxine therapy. *N Engl J Med* 1994; 331: 174-180. **

Literature Citations

- Clinical Practice Committee. The american geriatrics society statement of two-step PPD testing for nursing home patients on admission. *J Am Geriatr Soc* 1988; 36: 77.
- Davies PD. Tuberculosis in the elderly. epidemiology and optimal management. *Drugs Aging* 1996; 8(6): 436-44. **
- Dutt AK, Stead WW. Tuberculosis. *Clin Geriatr Med* 1992; 8(4): 761-75. **
- Feit H. Thyroid function in the elderly. *Clin Geriatr Med* 1988; 4(1): 151-62.
- Francis T, Wartofsky L. Common thyroid disorders in the elderly. *Postgrad Med* 1992; 92(3): 225+. **
- Levin AC, Gums JG, Grauer K. Tuberculosis. the primary care physician's role in eradication. *Postgrad Med* 1993; 93(3): 46+. **
- Malin AS, McAdam KP. Escalating threat from tuberculosis: the third epidemic. *Thorax* 1995; 50(Suppl 1): S37-42.
- Puttick MP et al. Soft tissue tuberculosis: a series of 11 cases. *J Rheumatol* 1995; 22(7): 1321-5. **
- Van den Brade P et al. Clinical spectrum of pulmonary tuberculosis in older patients: comparison with younger patients. *J Gerontol* 1991; 46: M204.
- White GL Jr, Henthorne BH, Barnes SE, Segarra JT. Tuberculosis: a health education imperative returns. *J Community Health* 1995; 20(1): 29-57. **
- Woo J, Chan HS. Therapeutic problems in the management of elderly patients with tuberculosis. *Adverse Drug React Toxicol Rev* 1992; 11(1): 13-8. **
- Yoshikawa TT. Tuberculosis in aging adults. *J Am Geriatr Soc* 1992; 40(2): 178-87.

Literature Citations

- Baldassaree JS, Kaye D. Special problems of urinary tract infection in the elderly. *Med Clin North Am* 1991; 2: 375.
- Boscia JA, Kaye D. Asymptomatic bacteriuria in the elderly. *Clin Geriatr Med* 1988; 4(1): 57-70.
- Cardozo LD, Kelleher CJ. Sex hormones, the menopause and urinary problems. *Gynecol Endocrinol* 1995; 9(1): 75-84. **
- Childs SJ, Egan RJ. Bacteriuria and urinary infections in the elderly. *Urolog Clin North Am* 1996; 23(1): 43-54. **
- Erwin GW. Therapeutic considerations in the elderly patient with A urinary tract infection. *Consult Pharm* 1987; 2(Suppl A): 8-11. **
- Faro S. New considerations in treatment of urinary tract infections in adults. *Urology* 1992; 39(1): 1-11. **
- Gerbino PP et al. Managing the elderly patient with a urinary tract infection: panel discussion. *Consult Pharm* 1987; 2(Suppl): 17-18. **
- Gerbino PP et al. Uncomplicated urinary tract infection in the elderly patient: case history and discussion. *Consult Pharm* 1987; 2(Suppl A): 19-21. **
- Gerbino PP et al. Complicated urinary tract infection and catheterization: case history and discussion. *Consult Pharm* 1987; 2(Suppl A): 25-27. **
- Gleckman RA. Urinary tract infection. *Clin Geriatr Med* 1992; 8(4): 793-803. **
- Goldstein EJC. Urinary tract infections in the elderly patient: an overview. *Consult Pharm* 1987; 2(Suppl A): 3-7. **
- Gray RP, Malone-Lee J. Review: urinary tract infection in elderly people—time to review management. *Age & Aging* 1995; 24(4): 341-5.
- Jacobs LG. Fungal urinary tract infections in the elderly: treatment guidelines. *Drugs Aging* 1996; 8(2): 89-96. **
- Kalsman MW et al. Evaluation of empiric therapy of urinary tract infections in catheterized nursing home patients. *Consult Pharm* 1992; 7(3): 307-311. **
- McCue JD. Rationale for the use of oral fluoroquinolones as empiric treatment of nursing home infections. *Arch Fam Med* 1994; 3(2): 157-64. **

Literature Citations

McCue JD. Urinary tract infections in the elderly. *Pharmacother* 1993; 13(2): 51S-53S. **

Nicolle LE. Urinary tract infection in the elderly. *J Antimicrobial Chemother* 1994; 33(Suppl A): 99-109. **

Nicolle LE. Urinary tract infection in the elderly. how to treat and when. *Infection* 1992; 20(Suppl 4): S261-5. **

Nygaard IE, Johnson JM. Urinary tract infections in elderly women. *Am Fam Physician* 1996; 53(1): 175-82. **

Perdue BE, Plaisance KI. Treatment of community-acquired urinary tract infections. *Am Pharm* 1995; NS35(12): 37-45.

Pickering TD et al. The appropriateness of oral fluoroquinolone-prescribing in the long-term care setting. *J Am Geriatr Soc* 1994; 42: 28-32. **

Rocco F, Franchini V. Antimicrobial therapy for treatment of uti's in the elderly. *Eur Urol* 1991; 19(suppl 1): 7-15.

Sable CA, Scheld WM. Fluoroquinolones: how to use (but not overuse) these antibiotics. *Geriatrics* 1993; 48(6): 41-4, 49-51. **

Sale PG. Genitourinary infection in older women. *J Obstet Gynecol Neonatal Nurs* 1995; 24(8): 769-75. **

Stein G. New antimicrobial therapy for treatment of urinary tract infections in the elderly. *Consult Pharm* 1987; 2(Suppl A): 12-15. **

Warren JW, Palumbo FB, Fitterman L, Speedie SM. Incidence and characteristics of antibiotic use in aged nursing home patients. *J Am Geriatr Soc* 1991; 39(10): 963-72.

Yoshikawa TT. Chronic urinary tract infections in elderly patients. *Hosp Pract* 1993; 28(6): 103+.

Zhanel GC et al. Asymptomatic bacteriuria: which patients should be treated?. *Arch Intern Med* 1990; 150: 1389.